

QL  
430.4  
0616  
moll

108

# HELLS AND SEA LIFE

A Monthly Publication on Mollusks and Marine Life


\$3.00 May, 1985

Volume 17, Number 5



Cuthona longi Behrens, 1985

Photo by Jeff Hamann



IN THIS ISSUE: Murex, Land shells, Seashell decor, Clams, Nudibranchs, Australian shells — and more!



## CLASSIFIED ADS

Advertisers are solely responsible for their material. Rates: \$4.00 per line — single insert; \$3.50 per line multiple insert, prepaid. We reserve the right to modify copy to fit paid lines. "Exchange" listings are available at the same rates.

### For Sale - Retail

**FOR SALE: LARGE SHELL COLLECTION.** For information write: M. L. Chapel, 2002 Margaret Drive, Wichita Falls, Texas 76306

I am disposing of very fine Florida tree snails *Liguus fasciatus* and a few sets of Cuban *Polymita* from my personal collection. Write for free list. No dealers please. Archie L. Jones, 8025 SW 62 Court, Miami, FL 33143.

**BIVALVES** — 72 lots (60 species) from old collections. Four 18-compartment boxes (7"x-10"x2"). \$60.00. **THAIDIDAE** — 110 lots (65 species). \$95.00. **TAG ENDS** from several old collections. About 100 species. Eight 18-compartment boxes \$80.00. 100 misc. **GASTROPODS** (70 species). \$95.00. **LAND SNAILS**. Five 18-compartment plastic boxes \$65.00. Each set comes from several old collections with data ranging from complete, but unchecked, to non-existent. All prices plus shipping. **SPIN-DRIFT**, 6439 W. Myrtle Ave. No. 79, Glendale, AZ 85301 (602) 934-5964

**PLASTIC BAGS** — all types & sizes. Free price list on request. **SHELLS and SEA LIFE**, 1701 Hyland, Bayside, CA 95524

**SHELLS ON STAMPS** — A beautiful addition to your shell collection! Send your want list! Jack and Myrna Golden, Golden Associates Stamp Co., P.O. Box 484, Cedarhurst, NY 11516

**WORLD WIDE SEA SHELLS** for collectors. Free Price List. Sea Gems, 2002 Margaret Drive, Wichita Falls, Texas, 76306

**BUSINESS CARDS** — send sample layout for free quote. **SHELLS and SEA LIFE**, 1701 Hyland, Bayside, CA 95524

### Rentals

**SANIBEL ISLAND Florida.** A paradise for shell collectors. Luxury 1 bdrm. condo directly on the beach. \$350/week. 614-436-3694

**SHELLING & FISHING** from Marco Island. Reasonable rates and good accommodations — Bianchi's Pink House Efficiency Motel; 310 Pear Tree Ave.; Goodland, FL 33933. Telephone (813) 394-3498

### Wanted to Buy

**Journal Malacological Society Australia** Volume 1 to Volume 3 or individual parts, good condition, bound or unbound. We are interested in buying new and used books, papers, pamphlets, reprints, etc. on mollusks — or exchanging them for our books. Send list with prices to **SHELLS and SEA LIFE**, 1701 Hyland, Bayside, CA 95524, (707) 822-1024

### Books

**OUT-OF-PRINT** books; major library acquisitions. Send for new list. Richard E. Petit, P.O. Box 30, North Myrtle Beach, SC 29582, U.S.A.

**SHELLS and SEA LIFE**, 1701 Hyland, Bayside, CA 95524, (707) 822-1024. Postage & packing extra on all books listed here. Write or call for our current booklist TODAY!

0871 Bunton, G.W. 1966. *The Tides*, 20 pages; 17 figures. \$1.95

0131 Carpenter, P.P. 1967 Reprint of 1857 book. Catalogue of the Collection of Mazatlan Shells in the British Museum. SB, 552 pgs. \$11.80

7470 Cate, C.N. 1977. A Review of the Eratoidae (Mollusca: Gastropoda). *Veliger*, 19(3): 341-366, 15 pls., 13 figs. \$9.95

0232 Caum, E.L. 1928. Check list of Hawaiian land and fresh water mollusca. Bishop Museum, Bull. 56, p. 1-79, Softbound RPT \$12.95

0237 Cernohorsky, W.O. 1972. Marine Shells of the Pacific, Vol. II, 410p., illus. \$29.95

0820 Cernohorsky, W.O. 1975. Supplementary notes on the taxonomy of the buccinid species of the subfamily Pisaniinae 37 p., 75 figs. \$4.95

0819 Cernohorsky, W.O. 1975. The taxonomy of some Indo-Pacific Mollusca Pt. 3. 22 pages, 60 figures. \$3.95

0827 Cernohorsky, W.O. 1975. The taxonomy of Caribbean-Atlantic Costellaridae. 23 pages, 35 figs. \$3.95

0821 Cernohorsky, W.O. 1975. The taxonomy of some West American and Atlantic Nassariidae based on their type specimens. 53 p., 93 figs. \$7.95

0823 Cernohorsky, W.O. 1976. The taxonomy of some Indo-Pacific Mollusca Pt. 4. .. remarks on *Nassarius coppingeri*, (Smith). 19p., 43 figs. \$2.95

0347 Cernohorsky, W.O. 1977. A study of *Scutus antipodes* Montfort. 7p. 11 figs. \$2.25

0145 Cernohorsky, W.O. 1977. Correction to the Nomenclature of Bullia. 3p., fig. \$1.50

0260 Cernohorsky, W.O. 1977. Note on two Pacific Gastropods. 4p., 4 figs. \$2.50

0826 Cernohorsky, W.O. 1977. The taxonomy of some Indo-Pacific Mollusca. Pt. 5. new taxa .. remarks *Nassarius albus*. 12p. 22 figs. 2.95

0824 Cernohorsky, W.O. 1977. The taxonomy of some molluscan species reported from New Zealand. 18p., 22 figs. \$3.95

0825 Cernohorsky, W.O. 1977. The taxonomy of some southern Ocean Mollusca mainly Antarctic and SubAntarctic. 15p., 19 figs. \$2.95

0828 Cernohorsky, W.O. 1978. The taxonomy of some Indo-Pacific Mollusca. Pt. 6. 20p., 40 figs. \$3.95

0238 Cernohorsky, W.O. 1978. Tropical Pacific Marine Shells. 352p., illus. \$39.95

0256 Cernohorsky, W.O. 1980. New Species of bathyal gastropods from Australia and New Zealand. 4p. 5 figs. \$1.25

0831 Cernohorsky, W.O. 1980. Systematics of some West Pacific *Lyria* (Volutidae) with descriptions of new species. 8p., 13 figs. \$2.95

0398 Cernohorsky, W.O. 1980. The taxonomy of some Indo-Pacific Mollusca Pt. 8. 18p., 35 figs. \$3.95.

0829 Cernohorsky, W.O. 1980. The taxonomy of some Indo-Pacific Mollusca. Pt. 7. 17p., 34 figs. \$3.95.

0832 Cernohorsky, W.O. 1982. Catalog of the family Nassariidae in Wagner and Abbott, Standard Catalog of Shells. 44p., Text-fig. \$7.95

0477 Cernohorsky, W.O. 1982. Description of a new *Vexillum* (*Costellaria*) from the West Pacific Ocean. 3p., 6 figs. \$1.25

Tell advertisers you saw them in S&SL.



# SHELLS and SEA LIFE

Volume 17    Contents    Number 5

*Cuthona longi* Behrens, 1985

D.W. Behrens — 156

A review of the new species named by Roland Houart.

Emily H. Vokes — 157

CURRENT EVENTS — 162

*Orthalicus labeo* — the rarest land shell?

Richard L. Goldberg — 163

READER FORUM: D. DeLucia — 164

Seashell Decor — Ideas for all decor.

Faye Frost — 166

PUBLICATION NOTES — 168

PERSONAL NOTES — 171

Tom Shepherd, Steve Rosenthal, Eveline Marcus,  
Melbourne Carriker, Al & Ann Becker, Fred F.  
Glancy, Jerry Landye, T. Woodward

Super Clam?

Roland Anderson — 173

ON THE REEF: *Pyrene* & *Vexillum*

Bob Purtymun — 177

What color is *Platydoris*? A matter of light and depth.

David W. Behrens — 179

## Editorial Staff

Managing Editor ..... Steven J. Long  
Assistant Editor ..... Sally Bennett  
Contributing Editor ..... Hans Bertsch  
Photographic Editor ..... David K. Mulliner  
Contributing Editor ..... Tom Rice

## Editorial Review Board

R. Tucker Abbott	David W. Behrens
Hans Bertsch	Kerry B. Clark
Walter O. Cernohorsky	Malcolm Edmunds
Eugene V. Coan	Terrence Gosliner
Michael T. Ghiselin	James R. Lance
George L. Kennedy	T.E. Thompson
William G. Lyons	

SHELLS and SEA LIFE was formerly known as the OPISTHOBRANCH NEWSLETTER. The magazine is open to articles and notes on any aspect of malacology or related marine life. Articles submitted for publication are subject to editorial board review. Articles should be submitted typed and double-spaced. For additional information send for free booklet "Suggestions for Preparing Manuscripts for SHELLS and SEA LIFE."

We undertake no responsibility for unsolicited material sent for possible inclusion in the publication. No material submitted will be returned unless accompanied by return postage and packing. Authors will receive 10 free reprints of their article. Additional reprints may be purchased.

Display advertising rate is \$45 per column inch with discounts for larger ads and multiple insertions. Send for rate card.

SHELLS and SEA LIFE ISSN 0747-6078 is published monthly for \$36 per year by Steven J. Long & Sally Bennett, 1701 Hyland, Bayside, CA 95524. Second-Class Postage Paid at Bayside, CA. POSTMASTER: Send address changes to SHELLS and SEA LIFE, 1701 Hyland, Bayside, CA 95524. Telephone (707) 822-1024. Outside U.S. postal ZIP code areas, add \$4 surface or \$19 air mail postage. Send change of address 6 weeks in advance. Charge to remail issue for any reason \$3.50. Sample copies \$3.50 each postpaid. Rates subject to change without notice.



## EDITOR'S NOTES

It is time to repeat our policy regarding review of articles for *Shells and Sea Life*. We attempt to get all final copy articles back to the author for review and sign-off. The rapid publication cycle of our magazine makes author-review very difficult for non-U.S. authors but we stick very closely to policy if there is any serious nomenclatural question involved.

Personal Notes never go back to authors for review as they do not involve any nomenclatural problems. Reader Forum includes "opinions" which do not constitute final decisions with backup data. They are not subject to Editorial Board review.

"Articles" go through a simple review process to determine their suitability to *Shells and Sea Life* and the amount of further review required based on the material. These recommendations, made by Editorial Review Board members and others are rather closely adhered to and may require rejection or major revision of the article.

Since acquiring our own typesetting equipment in December, each article is in effect "reviewed in galley" which greatly decreases the chance of errors and typos remaining in the text.

\* \* \*

*Cuthona longi* Behrens, 1985  
Cover photograph by Jeff Hamann

The species featured on the cover of this month's issue is a recently described species of aeolid nudibranch from the Gulf of California (Behrens 1985; Veliger 27(4): 418-422). I am pleased to dedicate this species, in name sake, to Steve Long for his 15 tireless years as editor and publisher of the *Opisthobranch Newsletter*, precursor to *SHELLS and SEA LIFE*. Steve's efforts and contributions to the field of malacology have been inspiring to many of our colleagues.

*Cuthona longi*, the first *Cuthona* described from the Gulf of California, was discovered and collected by Jeff Hamann while SCUBA diving off Isla Raza, Baja California, Mexico in July 1982. Jeff measured living animals up to 34 mm in length. This species can be easily separated from other northeastern Pacific tergipedid aeolids by the pale blue rhomboid patch on the head between the eyes and posterior to the rhinophores, and the distinctive opaque gold band on the cerata. Specimens and egg masses were collected on a leafy bryozoan growing near the base of a branched hydroid. — D.W. Behrens.



## A review of the new species named by Roland Houart

Emily H. Vokes, Dept. Geology, Tulane University, New Orleans, LA 70118



E. Vokes & R. Houart at his home in Belgium, June, 1984  
Photo by Aurora Richards

The word "amateur" comes from the Latin *amator*, meaning one who loves. And Roland Houart is the latest in a long line of true lovers of mollusks, who labor among them for the sheer joy of it. Following in the footsteps of such illustrious malacologists as Philippe Dautzenburg, a rug merchant, and Maurice Cossmann, a railway station superintendent, Houart has a full-time job (as an inspector of Belgian schools), and dedicates his leisure to the study of the Muricidae. As one who loves the Muricidae equally well but who *does* get paid for it (research is an integral part of a professorship), I can appreciate his admiration for this fascinating group. Were I not lucky enough to have a job that permits my delving into the mysteries of the Muricidae as a part of it, I too would be one of the "dedicated amateurs" of the world.


Houart described his first muricid in 1977, and it is a pity that because of the previous description of the same form by a Japanese worker we are deprived of his name, which in my opinion is a more fitting one. But such are the perils of nomenclature.



Except for this first one, all of the other species named since 1977, which number 15 at this writing, are valid. Comments follow a photograph of each species.



*Chicoreus subtilis* Houart, 1977, Soc. Belge Malac., Inf., Ser. 5(2):13, figs. 1-5. Paratype Houart collection 29.5 x 21 mm. As noted above, the name is preoccupied by *Pterynotus orchidifloris* Shikama, 1973. There is also a third name for this beautiful but enigmatic Indo-Pacific species: *Pterynotus celinamarumai* Kosuge, 1980 (originally spelled "*cerinamarumai*," in error, *fide* Kosuge *in litt.*). Although named as a *Pterynotus* by two authors, Houart's enlarged photographs (his figs. 3a-c) of the early whorls of the shell indicate that it is better placed in *Chicoreus*. Perhaps the subgenus *Torvamurex* Iredale, 1936 (type species: *Triplex denudata* Perry) should be revived for *C. orchidifloris* and *C. laqueatus* (Sowerby, 1841), its nearest relative. D'Attilio (1981, fig. 4) has illustrated the radula of *C. laqueatus*, which looks most like that of the Muricopsinae. But the shell morphology in no way suggests relationship with that group. This may be another of those "in-between" genera, like *Homalocantha* (with its muricine radula, muricopsine shell, and ocenebrine operculum), which remind us from time to time that taxonomy is not as cut and dried as we would wish.



*Ocenebra fairiana* Houart, 1979, Soc. Belge Malac., Inf., Ser. 7 (1):3, figs 1-4. Paratype Houart collection 27 x 12 mm. In a later paper (1982) Houart compared *O. fairiana* with two other closely related species also from West Africa ("*Murex*" *dearmatus* Odhner, 1923, and *Pteropurpura benderskyi* Emerson and D'Attilio, 1979) and concluded that they were easily distinguishable in shallow-water forms but were rather near each other in the deeper waters. However, the persistent three varices indicates that *Pteropurpura* is probably a better placement than *Ocenebra*, even though they lack the winged varices typical of *Pteropurpura*.



*Favartia (Favartia) burnayi* Houart, 1981, Soc. Belge Malac., Inf., Ser. 9(3):79, figs. 1-4. Paratype Houart collection 27.5 x 18 mm. This rather smooth, white


All shell photographs by Roland Houart.




*Favartia*, from the Cape Verde Isles, was originally named *Murex solidus* A. Adams, 1853. Fortunately, that name is preoccupied, so the species described by Houart is the valid name for the form. It resembles the American *F. cellulosa* (Conrad, 1846) but is more angulate at the shoulder and is less fenestrate.



*Murex poppei* Houart, 1979, Soc. Belge Malac., Inf., Ser. 7(4):141, pl. 5, figs. 1-3; text figs. 1, 2. Paratype Houart collection 125 mm. Belonging to the Indian Ocean group of *Murex scolopax*, this species is unique in possessing a protoconch consisting of two and one-half angulate whorls, marked by approximately 17 axial ribs on the last whorl of the protoconch. Following the protoconch, the first teleoconch whorl has 12 axial ribs, which by the third whorl become 3 varices. In contrast, all other known species of *Murex* s.s. have a smooth protoconch and, in the case of *M. scolopax* (and almost all other species of *Murex* s.s.), only 9 axial ribs on the first teleoconch whorl.



*Chicoreus* (*Chicoreus*) *kilburni* Houart & Pain, 1981, Soc. Belge Malac., Inf., Ser. 10(1-4):51, pl. 3, figs. 1-4. Paratype Natal Museum T.2538 93 mm. This is a new name for the large brown *Chicoreus* from East Africa that has been cited by authors as *C. maurus* (Broderip, 1833). The latter is a smaller, purplish-colored form confined to the western Pacific.



*Chicoreus* (*Chicoreus*) *boucheti* Houart, 1983, Venus, 42(1):27, pl. 1, figs. 1, 2; text figs. 3, 4. Holotype 31.2 x 22 mm. A western Pacific species that is immediately distinguishable from all its congeners by the possession of just three long foliated spines on each varix of the body-whorl. In overall appearance it most nearly resembles *C. axicornis* (Lamarck, 1822) but differs substantially in detail.

Our Apologies.  
Somehow, in the  
preparation of  
this magazine  
for printing,  
the photograph  
intended to be printed  
in this space was  
misplaced and could  
not be found in time  
for publication. We  
will include this  
photograph in  
a later edition.


*Aspella vokesiana* Houart, 1983, Venus, 42(1):31, pl. 1, figs. 5, 6. Holotype 14 x 6.1 mm. A typical small, white *Aspella*, this species, which is based upon a single specimen from Madagascar, is very similar to *A. mauritiana* Radwin and D'Attilio, 1976, from the same area; but



then all species of *Aspella* are remarkably similar, so much so that until recently all were considered to be "*Aspella anceps* (Lamarck)." The work of Radwin and D'Attilio (1976, p. 22-25, 220-227) demonstrated the astounding differences to be seen between these similar appearing forms, each having a unique pattern of intritacalx.




*Chicoreus (Chicomurex) turschi* Houart, 1981, *Nautilus*, 95(4):186, figs. 1-6. Paratype Houart collection 35.5 x 17.5 mm. Although superficially similar to *C. venustus* Rehder and Wilson, 1975, this western Pacific form has a narrower, more elongate shell and a completely different protoconch, consisting of one and one-half bulbous whorls in contrast to the four, conical whorls of *C. venustus*.



*Homalocantha dovpeledi* Houart, 1982, *Soc. Belge Malac., Inf., Ser. 10*(1-4):77, pl. 4, figs. 1-6. Paratype Houart collection 49 x 49 mm. This peculiar *Homalocantha* from the Red Sea is unlikely to be mistaken for any other species. The ornamentation consists of just two or three long palmate digitations on the varices of the body-whorl, instead of the four or five seen in *H. scorpio* (Linnaeus, 1758), the nearest related species.



*Trophon purdyae* Houart, 1983, *Ann. Natal Mus.*, 25(2):449, figs. 1, 4-6. Paratype Houart collection 23.5 x 11.5 mm. Named from material trawled off the eastern coast of South Africa, this form bears a superficial resemblance to *Nucella wahlbergi* (Krauss, 1848) but has a trophonine operculum and radula. Nevertheless, it is a most atypical looking "*Trophon*", having only faint axial ribs instead of varices.




*Chicoreus (Chicoreus) paini* Houart, 1983, *Venus*, 42(1):28, pl. 1, figs. 3, 4; text figs. 1, 2. Paratype Houart collection 37.5 x 20.5 mm. Another of the small dark-brown species of Indo-Pacific *Chicoreus*, this new form was compared with the similar appearing species in the area and shown to be different in several details; but there is no single overwhelming distinction that may be stressed. At almost the exact same time, this form was also named as *C. kengaluae* by Muhlhauser and Alf 1983, p. 101, figs. 1, 2 but the latter was issued on July 1, 1983, and Houart's paper was issued June 30, 1983. That is cutting the degree of priority a bit fine but it is still valid.






*Favartia (Favartia) paulboschi* Smythe & Houart, 1984, Soc. Belge Malac., Inf., Ser 12(1):5, pl. 2, figs. 1-5. Paratype Houart collection 17 x 9 mm. An attractive little shell confined to the coast of Oman, this species has some of the aspects of the subgenus *Pygmaepterys*, but the aperture is the small, rounded, nondenticulate type found in *Favartia s.s.*. The comparison with *Favartia peasei*, given by Smythe and Houart was actually being made with a species of *Favartia s.s.*; *F. peasei* is a good *Pygmaepterys*, as was discussed by Vokes (1984). There is no closely related form with which it may be compared.

*Pygmaepterys philcloveri* (Houart, 1984), (as *Pazinotus*) Soc. Belge Malac., Inf., Ser 12(2-3):128, figs. 1-3. [*Poirieria (Pazinotus)*]. Left: paratype Houart collection 13.1 x 7 mm; right: holotype MNHN 13.6 x 7.5 mm. One more of the myriad new and beautiful species being taken from the tangle nets of the Philippine Islands, this species is unmistakable and cannot be confused with any other related form. It has five or six winged varices and a strongly dentate aperture and bears only a familial resemblance to the other species with which it was originally compared. The cancellate shell surface created by the spiral cords and the axial growth lamellae indicates that the species is better placed in the genus *Pygmaepterys*.



*Ocenebra isaacsi*, 1984, Boll. Malacologico, 20(1-4):84, figs. 1-5, 8 (and 2 unnumbered text figs.). Paratype Houart collection 9.8 x 5.7 mm. Although *O. isaacsi* does not apparently ever seal the siphonal canal, in all other respects it is a good *Ocenebra s.s.*



*Chicoreus (Chicoreus) dovi*, 1984, Venus, 43(1):55, pl. 1, figs. 1-3; text figs. 1, 1A, 3. Another of the large brown *Chicoreus* group, this shell has a strong similarity to *C. torrefactus* (Sowerby) but differs in details of the protoconch and aperture. It is confined to the East African area of Somalia to Kenya.



### Literature Cited

- D'Attilio, A. 1981. Note on the holotype of *Murex laqueatus* Sowerby, 1841 (Gastropoda: Muricidae) with a description of a specimen from Guam. *Festivus* 13(7):78-81, 5 text figs.
- Houart, R. 1982. Note concernant trois especes d'Ocenebrinae (Gastropoda: Muricidae) d'Afrique Occidentale. *Boll. Malacologico* 18(5-6):129-132, 3 figs., 1 table.
- Muhlhauser, H. & A. Alf 1983. *Chicoreus kengaluae*, n. sp. (Muricidae, Prosobranchia). *Spixiana* 6(2):101-104, figs. 1, 2.
- Radwin, G.E. & A. D'Attilio 1976. *Murex* shells of the world; an illustrated guide to the Muricidae, Stanford University Press, Stanford, Calif. 284 p., 32 pls., 192 text figs.
- Vokes, E.H. 1984. On the identity of "*Murex*" *peasei* Tryon, and its generic placement. *Shells and Sea Life* 16(10):160-161, figs. 1-4.

\* \* \*

### CURRENT EVENTS Schedule of Shows & Conventions

#### 1985

- Conchologists of America Philadelphia, Pennsylvania, June 22-26
- Third International Congress of Systematic and Evolutionary Biology University of Sussex. United Kingdom, July 4 - 10
- Second International Cephalopod Symposium, Tubingen, Federal Republic of Germany, July 16 - 23
- Jacksonville Shell Show Jacksonville Beach, Florida, July 26 -28
- American Malacological Union Kingston, Rhode Island, July 29 - August 3
- Second International Phycological Congress Copenhagen, Denmark, August 4 - 10
- Western Society of Malacologists Santa Barbara, California, August 18-21
- The Wetlands Institute & Museum Fall Nature Show Stone Harbor, New Jersey, September 21 - 22
- Oregon Shell Show Portland, Oregon, September 21 - 29
- Geological Society of America National Convention, Orlando, Florida, October, 1985
- Crown Point Shell Collectors Study Group Shell Show Southlake Mall, Merrillville, Indiana, October 4 - 6
- American Littoral Society 24th Annual Meeting Florida West Coast, October 10 - 14
- West Coast Shell Show Santa Barbara, California October 12 - 13
- North Carolina Shell Show Wilmington, North Carolina, October 26 - 27
- Western Society of Naturalists Monterey, California, December 27 - 30

#### 1986

- 2nd International Symposium on Indo-Pacific Marine Biology Guam, Truk & Ponape, Sponsored by the Western Society of Naturalists, June 22 - July 9
- American Malacological Union - Western Society of Malacologists Joint Meeting, Monterey, California, July 2-7

Midwest Regional Shell Show in Indianapolis will not be held this year. The sponsoring club, the Indianapolis Shell Club has voted to make the show a once every two year's affair beginning in 1986.

Gulf Coast Shell Club Shell Show in Panama City, Florida, may be held again this year during the third weekend of October (19th & 20th). More definitive details will follow later.

We have heard that the COA convention for 1986 will be held in Fort Lauderdale, Florida, in 1986. We will provide more details as we get them.

If we have missed a show or convention that you are aware of please excuse us, and send the information. We would especially like to hear of overseas shows and meetings. Thanks to Donald Dan for keeping us informed of many of these dates.



## Orthalicus labeo — the rarest land shell?

Richard L. Goldberg, Worldwide Specimen Shells,

P.O. Box 137, Fresh Meadows, NY 11365

As we all know, a species' rarity is usually due to its locality and habitat not being known, or it being inaccessible (we are not including species becoming rare by extinction). Such is the case with the decidedly rare *Orthalicus (Metorthalicus) labeo* (Broderip, 1828), from Peru.

This large and spectacular species, often referred to as the "Blubber-lipped Bulimulus," was known from only a handful of specimens until the late 1950's. It was originally found by Lt. May, on Christmas day of 1827, during his historic journey down the Amazon river from its source to the sea. While at a farm-house at Toulea, (about 9 leagues) east of Chachapogas, Peru, at approximately 8,000 feet above sea level, he obtained the first specimen of *O. labeo*, and others were frequently seen by him. Because of some unfortunate circumstances, only one specimen reached Europe and was deposited in the museum of the Zoological Society of London. It later disappeared.

During the period that followed until the late 1950's, very few were found and brought to light. In 1947 though, Colonel H. Burrington-Brown obtained a number of specimens at Chachapogas-Moyambamba district, which were given to T. Pain of London (personal communication). The snails were found crawling among the roots of trees after rain. Local natives, it is said, used these snails as a food source. Later, a number of specimens were obtained by George Jacobs of New York City. I have personally seen these 6 specimens, which are now in the collection of the American Museum of Natural History.

Orthalicus (Metorthalicus) labeo (Broderip, 1828) from Moyabamba area, Andes, Peru; 67 mm length; in the collection of Bruce Einsohn





A unique feature of this species is the unusually thickened and pitted outer lip. In most specimens I have seen it is reddish in color. It obtains a maximum size of 3 inches. Fresh-taken specimens have a variable olive-green periostracum on the lower half of the body whorl.

Very few specimens reside in private collections, and relatively few can be found in major museum collections. I know of specimens in the British Museum, American Museum, Philadelphia Academy of Natural Sciences, and the Delaware Museum of Natural History.

In my efforts to obtain land shells from Peru, my contacts have not been able to find this species. I know of no specimens collected since the early 1960's. This is probably due to the unrest and politically subversive movements in these remote areas of Peru. The species is only known from this limited area, and no one is willing to venture into these areas.

*Orthalicus labeo* has been considered rare because of its inaccessible habitat, but now might fall into the category of one of the rarist land shells because of a man made situation. I have been so enamored by this shell that I incorporated it as one of the logo shells for my shell business. I think you will agree that its unusual beauty and size along with its rarity, make *Orthalicus labeo* one of the more appealing terrestrial mollusks!



## READER FORUM

A few good investments.... All of us have had the experience of buying a very expensive species only to see the price plummet in subsequent months. While shell prices are for the most part beyond the customer's control, there are a few good investments to be had on today's market. In particular, the following four categories are worth exploring to the fullest:

1) Dredged material from the Gulf of Mexico-Caribbean: At one time, the dredges were dredging off Cape San Blas and other prime areas, yielding species such as *Epitonium pernobilis*, *Latiaxis dalli*, and *Murex atlantis*. Now, all is silent and the aforementioned shells are virtually never listed by dealers. Only the occasional purchase of an old collection will yield such treasures as *Murex beauui* (webbed varices), *Cochlespira elegans*, and *Poirieria actinophora*. Thus, if you are offered any



or all of the above, don't hesitate, as these are bound to increase in value rather dramatically over the next few years.

2) Galapagos Island Material: Galapagos shells have been difficult to obtain for some time now. About the only way they can be procured is via an old collection, and how many of those are there? Dealers rarely have *Epitonium turbinum*, *Cancellaria gladiator*, and *Lyropecten magnifica* nowadays, so it will pay off in the long run to take advantage of any Galapagos species that are offered. What is common to uncommon today may be impossible to obtain tomorrow. Don't wait!

3) Cold water whelks and trophons are the "sleepers" of the shell world. Often neglected because of their lack of color, they offer exquisite sculpture and marvelously intriguing shapes to the inquisitive collector. Suprisingly, such genera as *Colus*, *Buccinum* and *Boreotrophon* are much harder to complete than *Cymatium*, *Strombus* and *Xenophora*. Anytime a dealer offers a good selection of cold water material, get as many species as you can afford. Whelks and trophons are hardly ever listed and are not likely to become more common in the future.

4) Japanese shells: Very few people besides dealers realize that it is extremely difficult to obtain choice Japanese rarities. They are usually available in dribbles and drabbles; one or two of this, three or four of that. When was the last time *Amaea secunda* was listed? How about *Latiaxis kiranus*? Rarely, if ever, has a Japanese species gone down in value over time, unlike some Philippine shells which have fallen in price in recent years.

Speaking of Philippine shells, here are a few poor investments on today's market: 1) Live-taken South African material (prices are plummeting and there appears to be no end in sight!). 2) Caribbean cones (most are relatively common within their often very limited range. Prices are high because there are few good suppliers in the Caribbean at present). 3) Philippine cowries (prices fluctuate too much and formerly rare species have become more common).

Certainly, no one can predict with complete accuracy what the future will bring to the shelling stock market. However, the four categories I've outlined are near foolproof for lasting value in shells. Good luck in all your upcoming investments, and may the next *Epitonium turbinum* be yours! — David DeLucia, 7 Sunset Hill Drive, Branford, CT 06405



## Seashell Decor — Ideas for all decor

Faye Frost 195 Eagle Lane, Sedona, AZ 86336

What to do with those sea treasures gathered through the years? These beauties of nature need to be seen and admired. Often they recall rich memories of places visited and spots enjoyed, so let's bring them out.

Space is the most important feature of any display. It rests the eyes from the visual fragmentations of life. It lends a feeling of relaxation and tranquility. It accentuates the objects within it. Have you noticed early Oriental paintings with many, misty spaces open to imagination? Those artists knew the secret of "less is more."

"But there are so many shells to show," we wail. One solution: use just part of your collection at a time. This may be difficult, but rewarding. So let's clear the area of all non-essentials, abolish clutter, and concentrate on valuable, workable space. A dramatic way to achieve this is by eliminating table and floor lamps. It opens exciting possibilities. Sell the articles you truly can spare or donate them to some organization. What about those objects of sentimental worth accumulated through the years? Put them in a special box to bring out on occasion. This gives even more enjoyment than a constant viewing.

Dark wood or walls delineate light-colored shells with the reverse true for somber-shaded ones. Glass-topped coffee tables offer a multiple use with drawers for pull-out showing. As a background in drawers try pastel colors — for instance, blue-greens or sand-beige to give the feel of sea and shore. An occasional black backing can intensify that alabaster beauty. Monochromatic colors satisfy, like white capiz shell chimes against a light wall.

Baby's oil enhances the lustre of specimen shells — indeed, most shells love it. Use a small paint brush for this and wipe off the excess oil. Keep shells out of the sun for it bleaches them. Because seashells blend well, you can interspers them with other art objects.

Provide plenty of shelves — so desirable for places to put things. On these shelves aim for occult balance. As an example, use one or two tall shells to the left and a group of smaller ones to the right. Asymmetry intrigues. Vary the heights by using wood, bamboo, or clear acrylic stands. pile oyster clusters on each other for added lift. It's pleasing to group similar shells: glossy ones, those with color, or those that have been buffed to a pearly nacre. Massed effects can lend



impact to your display. Vary this with an individual favorite surrounded by, again, that precious matting of space.

Larger and darker shells take a lower placement in your structures while the smaller and lighter-hued ones can be raised on natural wood pieces or glued to a graceful branch. Link a shell cluster to a picture with the pointing rhythm of twigs. Shells and driftwood favor each other.

Glue shell arrangements on strips or pieces of plexiglass slipped into wood moulding, top and bottom. Paint this moulding to match the wall color. Stretch burlap over an oblong board and glue shells onto this in your own designs. Or sprinkle sand on an interesting weathered plank smeared with paste, then create your own unique patterns using shells.

Shell-border a mirror for enhancement. An oiled manzanita bough swirls tiny bivalves like butterflies. Place this in a rock with a hole and you have an artistic whole. Trays make effective containers for shells with the feature of easy mobility. A wicker-fish tray joyfully holds a multitude of miniatures.

For a conventional center piece, cover a large coral with tiny shell gems. A wee black one here and there sparkles the effect. Dainty favorites grace little box tops with a larger one centered on the lid to provide a handy lift. For a daily delight, on a wall where you work, glue a shell mural with tile mastic. Spray it with clear lacquer for a fine finish that needs only occasional feather dusting. A fish bowl holds an array of shell beauties.

Again, aim for simplicity. Use your shells in all rooms and spill them into your garage. The garage? Yes, for this often is the most popular entrance. Why not beautify it also? Try wall-to-wall shelving with equal-sized large and sturdy cardboard boxes below, painted to match the wall color. Gaining storage space, these boxes are handy to pull out when necessary. The subtle, spaced arrangements of your treasures over the entire house will charm you and your friends.





## PUBLICATION NOTES

Aubry, Umberto 1984. Terebridae (Mollusca: Gastropoda). published by the author. 48 p.; 15 color pls.; Softbound. — Order No. 806 \$14.95

This work is essentially a color catalog of the species of Terebridae in the private collection of the author. Illustrated are 4 fossil and nearly 200 living species, though 8 deep water Philippine specimens are without specific names. Provided are generic and specific designations, with author and date, for each taxon illustrated; size of specimen, locality, depth, and the author's estimate of rarity are included. The color photos are generally of good quality, although some are so small or so dark as to make identification difficult. There is unfortunately no descriptive text to accompany the illustrations. The detailed list of references will be of use to those interested in these marine mollusks, and an index will allow the reader to locate a particular species, especially as there appears to be no reason for the order in which the species are grouped on the plates.

Although acknowledged by the author not to be a scientific study, this book is the only popular treatment devoted entirely to this family. Until the projected monograph by Cernohorsky and Bratcher is published, this small color catalog will be available to introduce collectors to these mollusks. — Walter E. Sage, III

Rolan Mosquera, Emilio. ?1983. Moluscos de la Ria de Vigo. Santiago de Compostela, Spain, 283 p., index; 435 species illustrated in halftones; maps. — Order No. 1001 \$50.00

Emilio Rolan has produced an exhaustive monograph on the mollusks of the estuary on the western coast of Spain. Ria de la Vigo yielded 435 species of mollusk. All are figured with good black & white photos with notes on habitat, synonymy and bibliography. Large type in Spanish. Locality maps. — S&SL

Thompson, T.E. & G.H. Brown 1984. Biology of Opisthobranch Molluscs Volume II. The Ray Society, 229 p.; 12 map pages; 40 figs. + unnumbered figs.; 41 pls. (35 in color). — Order No. 784 \$49.95

Beautiful companion volume to the 1976 volume which covered all opisthobranch groups except Nudibranchia. This volume includes 108 species of nudibranchs in four suborders. This is a large format book with beautiful color plates of the color drawings. It completes the description of the British Opisthobranchia begun with volume I and is fine in every detail. Even if you are fortunate enough to own the original Ray Society opisthobranch publication (Alder & Hancock 1841-1845 and Eliot supplement) you will have to have this set. — S&SL

Bulletin of the Institute of Malacology Tokyo. October 30, 1984. Volume 2, Number 1, pages 1-18, pls. 1-8. — Order No. 956 \$10.00

Articles by Ranji Tiba, Sadao Kosuge and Victor Dan including description of a new species of Buccinum from Japan, new names for Buccinum, new species of Calliostoma and Lyria along with illustrations of Philippine cones. Excellent black & white illustrations of about 30 species of cone shells. — S&SL



# TAHITI

and her remote islands  
Sailing? Shelling?



join me aboard my dad's  
outstanding beautiful  
58' ketch DANAE III  
Write P.O. Box 251  
Uturoa - Raiatea -  
French Polynesia

## THE SHELL CONNECTION



... Buys, Sells and Exchanges  
Worldwide Specimen Shells

### FREE PRICE LIST

P.O. Box 651  
Bethel Park, PA 15102 USA  
412-854-3148

When in Los Angeles Visit



Fine Selection of  
Specimen, craft and  
decorator shells.

## The Sea

305 North Harbor Blvd.  
San Pedro, Calif. 90731  
(213) 831-1694

World-wide Importer

Exciting museum-like shop with  
everything for sale.

No lists. No mail order.

*Derry's*

### SHELL SHELTER

#### WORLD WIDE SHELLS

Specimen Quality  
P.O. Box 3519, Fullerton, CA 92634 U.S.A.  
From Common to Ultra Rare  
Telephone: 714-992-1030 "Cable Dershell"




No  
Lists-  
Please  
Send  
for  
Wants.

## The Water Window

Here's a **new** easy-to-use underwater viewer that makes  
finding shells, rocks and collectibles fun and profitable  
for waders of all ages. Discovering valuables is as simple  
as picking them out of a fishbowl with the Water Win-  
dow's 20" diameter, scratch-resistant lens. Sturdy handles  
allow a flick of the wrist to put your window to the trea-  
sures of the ocean floor exactly where you want it. Order  
two or more and put dollars back in your pocket.

### NEW Water Window Accessories!

Nylon mesh Shell Bag \$1.50; 2-foot rigid acrylic Handle  
\$3.50; Water Window acrylic Polish \$3.75. Please en-  
close \$39.95 plus \$2.00 for shipping and handling per  
window; \$70 for 2. Each additional - \$35. Allow 2-4  
weeks for delivery.



Make checks  
payable to:  
**Water Window  
Works**  
P.O. Box 12260  
Birmingham, MI  
49012



## EDWARD T. SCHELLING



BUY SELL  
TRADE




Worldwide Specimen Shells  
Marine Freshwater Fossils  
I.S.G.S. Standards  
Personalized Service  
Free Monthly Price List  
Shelling with Schelling

P.O. Box 68

Shalimar, Florida 32579 U.S.A.

(904) 244-5646





**WORLDWIDE SPECIMEN SHELLS**  
Your ONE STOP Marine & Land Shell Connection  
Wide Variety of Select Quality Specimens  
"Knowledgeable & Courteous Service"  
Write for Free Illustrated List  
(718) 357-6338  
Richard Goldberg/Worldwide Specimen Shells  
P.O. Box 137, Fresh Meadows, NY 11365



**Mal de Mer Enterprises**  
P.O. Box 482, Dept. S  
West Hempstead, NY 11552, USA  
Outstanding quality and personal services on worldwide specimen shells. Rarities are our specialty. Free price list on request.  
**Tel. (516) 481-0456**



**FOR BEAUTIFUL DISPLAY**  
USE ACRYLIC STANDS BY VENUS  
Pleasing Customers Since 1973  
WHOLESALE ONLY — WRITE

**VENUS DISPLAYS**

Box P, 10713 Ashby Ave., Los Angeles, Calif. 90064  
Special stands for shells. Tel.: (213) 836-3177



**Widepool Gallery**

Phone (213) 456-2551  
22762 Pacific Coast Hwy.  
Malibu, California 90265

**RARE SHELLS OUR SPECIALTY**

Largest stock of worldwide specimens on the West Coast. Plus unique and beautiful fine art, carvings, handcrafted jewelry. Weavings — All related to the Sea.

RETAIL ONLY — No Lists of Catalogues

We do our best to answer specific requests sent by mail.

Ask any collector!  
Specimen shells graded by the HMS-ISGS



**THE SHELL STORE**

440 - 75th Avenue  
St. Petersburg Beach, FL 33706  
Between Blind Pass Road  
and Gulf Boulevard

Phone 360-0586

WRITE FOR FREE PRICE LIST

ROBERT LIPE  
BETTY LIPE

CONUS spurius atlanticus

**PHILLIP W. CLOVER**



COLLECTOR & DEALER IN WORLDWIDE SPECIMEN SEA SHELLS  
CURRENT AND OUT OF PRINT SHELL BOOKS  
FREE PRICE LISTS UPON REQUEST  
P.O. Box 83, Glen Ellen, CA 95442




*The Abbey  
Specimen Shells*

P.O. Box 3010  
Santa Barbara, CA 93105  
(805) 963-3228

Over 3,000 species regularly in stock!  
We will select your shells as if they were for our own collection . . . and we're very, very picky!

Bob Foster & Charles Glass



**Tom Shepherd**

Specimen Sea Shells  
2222 Beech Street  
Virginia Beach, VA 23451

Free Price List Upon Request

**Showcase  
Shells**

One of the largest selections of outstanding specimen shells to be found anywhere! Complete stocks of *Cypraea*, *Conus*, *Murex*, *Pectens*, *Miters*, etc. for the beginning as well as the most advanced discriminating collector.

Send for FREE Price List.

Bev & Al Deynzer  
(813) 472-1971

Heart of the Island Plaza  
1614 Periwinkle Way  
Sanibel, FL 33957

**SHELLS and CORALS**



77 UNION STREET  
NEWTON CENTRE, MASSACHUSETTS 02159  
617 / 244-7018

**THOMAS HONKER**

P.O. Box 1011 — 25 N.E. 10th Street  
Delray Beach, Florida 33444  
Phone: (305) 276-9658

Dealer in finest quality worldwide specimen shells for the discriminating collector. Caribbean specialist. Extensive stock both marine and land, uncommon to rare. Your want lists and inquiries invited. Send for Free Price List.

HMS-ASGS



## PERSONAL NOTES

**Winner** Mr. S.S. Forrest of Lubbock, Texas won this 104 mm *Conus bengalensis* in the free shell drawing sponsored by Tom Shepherd (see December issue S&SL). The shell was trawled at 125 m depth in the Andaman Sea. The winner was chosen by Tom's two year old granddaughter picking the lucky address label.



**Common Names List:** As long as I have you, let me comment on your recent inclusion of the Scientific-Common Name List in your magazine. As an old subscriber to *Of Sea and Shore* I used to hate when those precious pages were taken up with long, dull lists (*i.e.*, all the taxa, all the shell stamps, etc.) I thought so here too, but wound up changing my mind for the wrong reason. My education as a zoologist left me truly believing that common names are rather useless on a scientific basis, but talking to amateur shellers (like myself) convinced me moreso. Different people use different names for the same shells, and after seeing all those common names I figure it would probably be as easy to just learn the Latin! I liked the list and now keep it with my reference books for a better reason. For someone who does a lot of trading (and some selling) of shells I found it great to have a concise listing of all the Latin names by taxa, especially with authors and dates. Now this is useful! I also applaud you're putting it mostly in one issue. No having to sort through five or six volumes to find the *Conus* or the *Venus*, for example. So, not much for reading pleasure there, but nice to have nevertheless. Thanks and wishes for continued success. — Steve Rosenthal, 4636 Arrowhead Dr., Apex, NC 27502.

**Field Note Book:** In Susan Hewitt's article on the Field Note Book the most important thing is not said. The notes on collecting in the book and the labels on the specimens must have one-and-the-same number! I know, because I did not do that, and now I have my difficulties.... — Dr. Eveline Marcus, Caixa Postal 6994, Sao Paulo, Brazil 00151



Melbourne Carriker retires from the University of Delaware this year. A symposium honoring his talents was held on February 7, 1985 at the College of Marine Studies. Mel is president of the American Malacological Union for 1985-1986.

Freshwater clams Al & Ann Becker are interested in chitons and freshwater mollusks. They have written articles for *Of Sea and Shore* and have gathered a lot of information on freshwater claming and the pearl button industry. — Al & Ann Becker, 2157 Sunrise Drive, La Crosse, WI 54601.

Glory of the Sea Museum First we would be willing to write of our experiences with sea shells, tree and land shells, sweetwater shells, and fossil shells, including sea life, etc., for your magazine. We have traded with over 1500 shell collectors and museums of the world including the great museums of Europe and the United States. We have led to the finding of the habitat of the great golden cowrie, reddish form, also the habitat of the cone, glory of the seas, and the 24" to 30" *Penna nobilis* of Malta, in the Mediterranean Sea. Many years we have shelled among the San Blas Indians, on islands off the Panama coast, where they ate the sea shell animals and fish entirely and all raw. Helped cut off the legs of octopus (who live on land & in the sea both). They grow their legs back on in less than a year. — Fred F. Glancy, Glory of the Sea Museum, R.R. #2, Hartford City, IN 47348.

Jerry Landye has been working for the Arizona Game and Fish Department for quite a few months and travelling around Arizona. He is still collecting information on inland mollusks as he travels.

Qatar Shells If you are still interested in having some short articles / field observations of local molluscan fauna I would be happy to oblige. Approximately 150 species have so far been identified with many "unknowns" still waiting. I never really know where to send the unidentified material as they are inevitably single samples and there is no competent authority in the area. I would appreciate any assistance on this subject as certainly there is good interest here in marine life. I have been lucky enough to get 2 TV programs and newspaper and magazine coverage locally so maybe there will be support for an "Arabian Malacological Society" in the future? [We would like short articles, especially with photos] — T. Woodward, c/o Nasir Bin Khalid & Sons, P.O. Box 82, Doha, Qatar



## Super Clam?

Roland Anderson, The Seattle Aquarium, Pier 59, Seattle, WA 98101

The west coast of North America is reported to have the most diverse population of sea stars in the world (Fisher, 1911), including the world's largest, the Sunflower Star, *Pycnopodia helianthoides*, which can have a radius larger than 400 mm (Lambert, 1981). In this hodge-podge of predatory, clam-hungry sea stars lives a large clam that defies most sea stars and manages to have few natural enemies. This is not surprising in itself; other clams, such as the geoduck, have few predators, although the geoduck escapes predation by burrowing up to a meter deep into the substrate. Kennerley's Venus, *Humilaria kennerleyi* (Reeve, 1863), does not bother to dig or burrow into the substrate like other clams; it merely lies on the sea floor and thumbs its nose at normal clam predators.

Kennerley's Venus is found on gravel bottoms in moderate current areas from Alaska to California. It grows to about 10 cm in length and has an oval shell with sharp concentric ridges. The shell is gray and has a texture akin to cement. It somewhat resembles the Butter Clam *Saxidomus giganteus*, with which it cohabits, but the fact that its shell closes tightly distinguishes it; the Butter Clam is a "gaper." The shell also has a crennulated edge while the edge of the Butter Clam's shell is smooth. Although reported to be a collector's item, (Abbott, 1974), divers at The Seattle Aquarium commonly find it in local waters of Puget Sound. The fact that it is strictly subtidal may lead to its rareness in shell collections.

Studies have found that the only sea star to effectively prey upon Kennerley's Venus is the Long-Armed Sea Star, *Orthasterias koehleri*, which opens the clam by pulling on the margins of the shell with its tube feet until small pieces of the chalky shell chip off (Mauzey, *et al*, 1968). By continuing to do this, the sea star eventually makes an opening into the clam large enough to insert its stomach and digest the clam. Only a very small opening need be made, as sea stars can insert their stomachs into openings less than a millimeter wide (Feder, 1955).

At The Seattle Aquarium the Mottled Sea Star, *Evasterias troschelii*, also has been able to open this hardy clam by pulling off bits of shell. The Mottled Sea Star can maintain a pull of up to 4500 gms on a clam, for a period of up to six hours or more (Christianson, 1957).

The large Oregon Triton Snail, *Fusitriton oregonensis*, is able to attack and eat Kennerley's Venus but has to resort to stealth



in order to do it. This snail sneaks up on the clam, places its slender proboscis between the shells while the clam is feeding/breathing, and injects an anesthetic into the clam's mantle, which relaxes the muscles holding the clam together. The snail then feeds on the clam's tasty inner tissues at its leisure (Eaton, 1972).

Other predators that typically prey on clams by drilling have been found to be unable to bore through the thick rough shell of Kennerley's Venus. This clam's shell is about 5 mm thick, while a Butter Clam of comparable size will have a shell half that thickness. Experiments at The Aquarium have shown that normal clam drillers such as the Moon Snail, *Polinices lewisii*, or the Dog Whelk, *Nucella lamellosa*, will try to drill into the clam but are unable to penetrate the shell, in attempts lasting up to a week.


Octopuses have a rasping tongue which they use to drill through normal clams' shells in order to inject a paralyzing venom. One study found that Kennerley's Venus was 0.7% of the food-item shells found in the middens of the giant Pacific octopus dens that were studied (Hartwick, *et al*, 1981). This particular study does not report seeing octopus actively feeding on Kennerley's Venus, nor do they report if the shells had been drilled by the octopus. Experiments at The Aquarium have shown that octopus will attempt to drill through Kennerley's Venus as it does other tight-shelled clams, but the octopus never have been able to drill completely through the shell of this "super clam," and after several presentations of this clam the octopus ignored it, apparently recognizing it as being a clam that it cannot open.

It must be noted that the octopus used in this experiment at The Aquarium was relatively small for its species, only 7.5 kg; the giant Pacific octopus may weigh over 40 kg. It is the experience of The Aquarium that larger octopus disdain smaller clams and rarely drill larger clams, preferring to pull them apart by brute force, of which they have a considerable amount. It is still felt that Kennerley's Venus would withstand even a large octopus's efforts to open it.

In the field, Aquarium divers have frequently seen a large Sunflower Star digging a hole in the sand while pursuing a burrowing clam, with 3 or 4 Kennerley's Venuses sitting at the ends of its rays. It has been found that the Sunflower Star will take this clam into its body in an attempt to digest it, but will "spit" it out unharmed several days later (Mauzey, *et al*, 1968). The clams at the edge of the digging sea star most likely were the "Jonahs" of this clam predator.




The author of one book on shells has suggested that Kennerley's Venus might be an untapped source for harvesting (White, 1976). They are fairly common and just lie on the bottom, waiting to be dredged up. However, the author has tried eating it, and reports that a chisel is needed to open it uncooked, and if steamed, it has a fine, typically clammy taste but also has the texture of a rubber tire, complete with nylon belts. Given these considerations, it is not likely our "super clam" will ever be harvested.



Left Photo: Detail of chipped *Humilaria* shell opened by a sea star. Right Photo: Unsuccessful drilling hole by moon snail into *Humilaria*. Photos by Buzz Shaw of The Seattle Aquarium.



At The Seattle Aquarium, Kennerley's Venus has proven to be remarkably hardy. It has been kept in open-system tanks for months at a time with no special care or feeding. The sharp ridges on the thick heavy shell, and its resistance to breaking make it particularly amenable to hands-on demonstrations. It is frequently used in The Aquarium's Touch Tank, where it is as highly resistant to handling by humans as it is to other predators.



Unsuccessful drilling hole by *Octopus dofleini* into *Humularia* shell. Photo by Buzz Shaw of The Seattle Aquarium.

### References

- Abbott, R.T. 1974. American Seashells, 2nd Ed. Van Nostrand Reinhold Co., N.Y.
- Christianson, A.M. 1957. The feeding behavior of the sea star *Evasterias troschelii* (Stimpson 1857). *Limnol. Oceanog.* 2:180.
- Eaton, C.M. 1972. The reproductive and feeding biology of the prosobranch gastropod *Fusitriton oregonensis* (Redfield).
- Feder, H.M. 1955. On the methods used by the starfish *Pisaster ochraceus* in opening three types of bivalve mollusks. *Ecology*, 36:764.
- Fisher, W.K. 1911. Asteroidea of the North Pacific and adjacent waters. Part 1. *Phanerozonia* and *Spinulosa*. *Smithson. Inst. U.S. Nat Mus. Bull.* 76.
- Hartwick, B., L. Tulloch & S. MacDonald, 1981. Feeding and growth of *Octopus dofleini*. *Veliger* 24:2.
- Lambert, P. 1981. The sea stars of British Columbia. *British Columbia Provincial Museum Handbook* 39.
- Mauzey, K.P., C.B. & P.K. Dayton 1968. Feeding behavior of asteroid and escape responses of their prey in the Puget Sound region. *Ecology* 49:4.
- White, J.S. 1976. Seashells of the Pacific Northwest. Binford and Mort, Ore.



## ON THE REEF: Pyrene & Vexillum

Bob Purtymun, P.O. Box 643, West Point, CA 95255



Photo: *Vexillum millecostatum*

On December 9, 1983, I was on the Divemaster, a 65 foot charter boat out of Townsville, Queensland, Australia. We were at a most uncomfortable anchorage in the lee of Coil Reef on the outer edge of the Great Barrier Reef. The South Easterlies had been kicking up for several days, and choppy waves from the Coral Sea rolled over the submerged reef making the boat pitch and roll uncontrollably. It was a relief to get diving gear on and get into the water.

Twenty meters below I drifted down in the calm clear water to a pile of dead antler coral rubble. Obviously it had been broken off the upper reef in previous storms, and had been piled up in this little under water valley by wave and current action. Here was an excellent place to look for shells. However, care must be exercised as the small shells drop through cracks and crevices to be lost forever.


In the upper layers I found several *Pyrene* (*Columbella*) *turturina* (Lamarck, 1822) clinging to the branches as I slowly picked into the pile. Then there it was gleaming yellow and black through the branches. I pulled off my gloves, for I had lost just such a shell in Faga'alu Bay on Tutuila Island, American Samoa in a similar habitat. Carefully I removed a few branches and grasped my prize. It was the elusive *Vexillum* (*Pusia*) *millecostatum* (Broderip, 1838). Very few shell books include pictures of this shell, and it is seldom featured on price lists. Synonyms are: *adamsoni* (Reeve, 1844) and *evelynae* Melvill, 1895.



# Advertiser!

This space is reserved for  
**YOU**

For details write:  
SHELLS and SEA LIFE  
1701 Hyland, Bayside, CA 95524



## House of Quality and Service RICHARD M. KURZ, INC.

1575 NORTH 118th STREET  
WAUWATOSA, WI 53226 U.S.A.

Dealer in Fine and Rare Specimen Shells  
of Superior Quality

The very best shells, at the very best prices

WRITE FOR  
FREE PRICE LIST

SHELLS BOUGHT, SOLD AND TRADED

LARGEST MAIL ORDER SEASHELL DEALER IN THE U.S.A.

On October 12th-20th, be with

Merv on a **Sea Shell Safari**  
to Broom, Australia, home of  
*Voluta coniformis*, *Murex cornicervi*, *Cypraea azzurea*  
and many other rare and common shells.  
For reservations, send \$200.00 deposit to  
**Merv Cooper's Sea Shell Safari**  
P.O. Box 186, Mt. Hawthorn 6016 West Australia

## La Conchiglia - THE SHELL

The Classic International Shell Magazine  
in colour since 1969

The most widely distributed bimonthly  
publication on shells: now 32 large size pages

Prices: Surface mail \$14 everywhere  
air mail \$20

(Australia & Polynesia \$23)

Back numbers at the same yearly rates.  
Please inquire about availability.

Address: Via C Federici, 1  
00147 Rome, Italy

U.S. Subscription agent:  
**SHELLS and SEA LIFE**  
1701 Hyland  
Bayside, CA 95524



BULLETIN DE L'ASSOCIATION CONCHYLOGIQUE  
DE NOUVELLE-CALÉDONIE

## ROSSINIANA

A quarterly publication on shells  
in French and English.

B.P. 146

18. rue Henrie-Bonneaud  
Noumea, New Caledonia  
Overseas Airmail

Subscription Price \$20.00

Now available from Shells and Sea Life  
1701 Hyland, Bayside, CA 95524

## Collectible Shells of Southeastern U.S., Bahamas & Caribbean by R. Tucker Abbott, Ph.D.

A 'Take It to the Beach' Field Guide  
WATERPROOF — TEARPROOF

105 beautiful color pages of living animals  
and their shells. 64 pages of color. 300  
species illustrated. How to clean shells.  
Where to find them. Includes fossils, pond  
and tree snails, as well as sealife. A popu-  
lar new seller retailing for \$8.95. Postage  
and state tax are included as a big savings.

## American Malacologists, Inc.

Publishers of Distinctive Books on Mollusks  
P.O. Box 2255, Melbourne, FL 32902-2255



## The Shell Cabinet

12991 Bristow Road, Nokesville  
Virginia 22123 U.S.A.

Specimen Shells and Natural History Books

Successor to  
M.E. Young  
Richard E. Petit  
and John Q. Burch



## What color is Platydoris? A matter of light and depth

Text by David W. Behrens Route 1, Box 70-A, Templeton, CA 93465  
Photograph by Jim Vallee



*Platydoris macfarlandi* Hanna, 1951 on left side of whitish sponge. *Archidoris montereyensis* is on lower right in photo. Collected October 7, 1981, by R. Fay & J. Vallee, Redondo Canyon, California. Photographed onboard ship by Jim Vallee.

The rare deepwater cryptobranch dorid nudibranch *Platydoris macfarlandi* Hanna, 1951 is known from only two collections: the original collection of three specimens off Pismo Beach, California in 1950 and the collection of two large specimens off Redondo Beach in 1981. The later specimens provided material for a redescription of the species by Behrens & Henderson, 1983 (Veliger 25(4):365-369). The redescription was provided to broaden the understanding of this little-known species, which was originally described on external characteristics only.

The animal is typically doridiform with undulating, flexible margins. The surface of the notum appears velvety and smooth




until examined closely. It is actually covered with minute, closely set villiform papillae. A complete anatomical description can be found in Behrens & Henderson (1983). The largest discrepancy between the original description and the later pair of specimens was the color. The original description reads "deep dark red above when alive, fading to a dull vinaceous grey in alcohol; light grey, almost white below." The 1981 specimens were a uniform pink above with a thin white to very pink line along the margin of the notum. The body cavity produced a slightly darker area dorsomedially. This color regime can be seen in the accompanying photograph by Dr. Jim Vallee, taken of the live specimen soon after removal from the trawl net.

The color of dorid nudibranchs has been described by many authors to be an important ecological feature by providing the animal protection through camouflage. Many dorids match their prey substrate, usually a species of sponge, both in color and texture. Of the sponges collected in the 1981 samples, none matched the *Platydoris*, although many were cream to white. Although we cannot be sure that any of these were indeed the prey species of *Platydoris* it brings up a question of the importance of color underwater when you are a deep-dwelling species. At the depth that *Platydoris* lives, 100-300 feet, are the colors of pink and white perceptively different? Light and its color components are known to attenuate rapidly with increasing depth in seawater. Recent data indicates that red light would be lost by a depth of 45 feet, leaving only green light existing at the depth where our specimens were trawled. If this is in fact true, a pink nudibranch would appear white, and therefore similar to its substrate at this depth, regardless of its color at the surface. Assuming that predators can see color, a color, which at the surface is highly conspicuous would be indistinguishable at 100 feet. Similarly, the incandescent flash from a scuba divers strobe can throw light wavelengths foreign at that depth on the subtidal seascape, therefore providing us with a biased image. As nature lovers and biologists we must be aware that under natural conditions certain features, such as light and color, may not be as they appear to us, the human animal. Even underwater photography may cast an inaccurate impression. Therefore, when discussing and reporting ecological observations and considerations we must keep this in mind, and attempt not to allow our situation and surroundings to prejudice our conclusions.



TELL ADVERTISERS YOU SAW THEM IN S&SL!

**A FIRST  
FROM  
SEACOMBER  
PUBLICATIONS**



304 PAGES IN FULL COLOUR, HARDCOVER

The cowrie animal and its habits, as well as the shells, is the subject of this book by the author of *The Living Cowries*, **C.M. Burgess**. Over 200 are discussed — species, distribution and synonymy — all are illustrated in full colour of which over 150 show the living animal. In addition, there are 18 plates showing significant variations within a species, two plates showing species described since 1970, and schematic drawings of conchological and anatomical characters of the cowries.

ORDER FORM TO:



Seacomber Publications  
P.O. Box 5683  
Orlando, Florida 32855  
United States of America

I enclose herewith a cheque to the  
value of \$ ..... for

..... copy(ies) fully leatherbound  
@ \$300 each

..... copy(ies) half leatherbound  
@ \$225 each

..... copy(ies) normal edition  
@ \$95 each.

Please add \$8 for postage

Name .....

Address .....

.....

.....

Signature .....

If a resident of the United States of America and you wish to order your copy on a credit card\*, please complete the following:

Credit Card Account No.

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

\*MasterCard, American Express



## Books

- SHELLS and SEA LIFE**, 1701 Hyland, Bayside, CA 95524. Postage & packing extra on all used books listed here. Write or call for our current popular and/or antiquarian booklist TODAY!
- 0479 Cernohorsky, W.O. 1982. Taxonomic status of *Cronia fiscella* (Gmelin, 1791) and *C. margariticola* (Broderip, 1833). 12p., 21 figs. \$3.00
- 0478 Cernohorsky, W.O. 1982. The taxonomy of some Indo-Pacific Mollusca Part 10. 22p., 57 figs. \$5.25
- 0505 Cernohorsky, W.O. 1983. The taxonomy of some Indo-Pacific Mollusca Part 11. 18p., 35 figs. \$3.95
- 0803 Cernohorsky, W.O. 1984. Systematics of the family Nassariidae. 356p., 172 figs., 51 black and white pls. \$36.75
- 0448 Cernohorsky, W.O. The taxonomy Indo-Pacific Mollusca Part 9. 10p. 18 figs. \$3.50
- 0822 Cernohorsky, W.O. & T. Bratcher 1976. Notes on the taxonomy of Indo-Pacific Terebridae .. with description new species. 10 p., 27 figs. \$2.95
- 0861 Chace, E. 1956. Additional Notes on the Pliocene and Pleistocene fauna of the Turtle Bay Area, Baja California, Mexico. 3p. \$1.50
- 0863 Chace, E. 1958. Marine Molluscan fauna of Guadalupe Island, Mexico. 14p. with. E.P. Chace, A new mollusk from San Felipe, Baja California. \$1.65
- 0358 Chatfield, J.E. 1977. Welsh Seashells, covers the shells of the Welsh coastline, SB., 44p., 60 pls., halftones some color. \$2.95
- 0469 Clarke, A.H.b 981. The Freshwater Molluscs of Canada. Field guide 179 species. All species illustrated in halftones. 446p. \$39.95
- 0114 Coan, E.V. 1968. A Biological Survey of Bahia de Los Angeles, Gulf of California, Mexico. III Benthic Mollusca. p. 107-132. \$1.75
- 0640 Collier, C. & W.M. Farmer 1964. Additions to the nudibranch fauna of the East Pacific & the Gulf of California. \$2.95
- 0175 Conrad T.A. 1893. Fossil Shells of the Tertiary Formations of No.Amer. RPT 1963. SB. 122p., 20 B/W pls., map. \$9.25
- 0420 Cooke & Clench 1943. Land Shells (Syn- ceridae) from the Southern and Western Pacific. Occ. Pap. Bishop Mus., 17(20):250-262, figs. 1-9. \$3.25
- 0339 Cooke, C.M., Jr. 1931. The land snail genus *Carelia*. Bishop Mus., Bull. 85:1-98, pls. 1-18. Reprint 1971, softbound \$18.95
- 0338 Cooke, C.M., Jr. 1934. Land shells of Makatea. Bishop Museum, Occasional Papers, 10(11):1-11. Reprint 1971, \$3.25
- 0341\*Cotton, B.C. 1961. South Australian Mollusca - Pelecypoda, complete and detailed coverage. SB., 363p. 350 figs. \$19.95
- 0340\*Cotton, B.C. 1964. South Australian Mollusca - Chitons, detailed coverage of the group. SB. 151p. 139 figs. \$7.95
- 0779 Cowry, The All numbers published. Reprint \$8.95
- 0512 D'Attilio, A. & B. Meyers 1984. Descriptions of Five New Muricean gastropods. Trans. San Diego Soc. Nat. Hist., 14p., illus. \$3.95
- 0468 D'Attilio, A. & H. Bertsch 1980. Four Species of *Pterynotus* and *Favartia* .. Philippine Islands. Trans. SDSNH, 19(12):169-179, figs 1-4 \$2.30
- 0133 D'Attilio, A. Catalogue of Coralliophilidae. 15 page catalog listing species, authors, types & identifying literature. \$4.50
- 0139 Dall, Bartsch & Rehder 1938. Manual Recent & fossil mar. pelecypod mol. Hawaiian Islands. Bull. 153:1-233, pls. 1-58, figs. 1-28 RPT 1971 SB \$50.95
- 7620 Dall, W.H. 1889. Reports .. Gulf Mexico & Caribbean Sea .. Report Mollusca. II. - Gastropoda & Scaphopoda, 1967 RPT, 492pp., pls. X-XL, SB \$19.75
- 0868 Dana & Wol. Eastern Pacific Crown-of-Thorns in Gulf of California. separate \$2.25
- 0368 de Oliveira & de Oliveira 1974. Dicionario Conquilio Malacologico. 190 pgs., softbound. Spanish language dictionary of malacological terms. \$3.95
- 0392\*Ditlev, H. 1980. A field-guide to the reef-building corals of the Indo-Pacific. 291p., 390 photos, 20p. color. Hardbound \$26.95
- 0650 de Oliveira, M.P. 1969. As Conchas. Introduction to the study of shells. Spanish. Softbound, 86 pgs. \$2.95
- 0862 Drake, R. Type Material Eucalodium orcutti Dall. separate. \$1.50
- 0470 DuShane, H. 1962. A checklist of mollusks for Puertocitos, Baja California, Mexico. Veliger, 5(1):39-50, 1 map. \$2.75
- 0485 DuShane, H. 1968. Three new epitoniid gastropods from the Panamic Province. Contrib. Sci. LACMNH, (145):1-6, figs. 1-6. \$1.95
- 0486 DuShane, H. 1970. Five new epitoniid gastropods from the west coast of the Americas. Contrib. Sci., LACMNH, (185):1-6, figs. 1-5. \$1.95
- 0502 DuShane, H. 1970. Two new epitoniidae from the Galapagos Islands (Mollusca: Gastropoda). Veliger, 12(3):330-332, pl. 51, tbl. 1. \$1.95
- 0514 DuShane, H. 1977. Epitonium textimatum, a new gastropod from the west coast of Mexico. Nautilus, 91(3):89-91, figs. 1-7. \$2.75
- 0136 Edmondson, Fisher et al 1925. Marine Zoology of Tropical Central Pacific. Bishop Museum, Bull. 27, p.1-148, pls. 1-11. RPT 1971, softbound \$29.75
- 0866 Emerson & Hertlein 1964. Invertebrate Megafossils of the Belvedere Expedition .. Gulf of California. p.333-368, figs. 1-6 (includes 2 pls.) \$4.40
- 0865 Emerson & Jacobson 1964. Terrestrial Mollusks of the Belvedere Expedition to the Gulf of California. p. 313-332, figs. 1-5, tbls. 1-4. \$1.95
- 0684\*Emerson & Jacobson Guide to Shells - American Museum of Natural History. 1000 illus., 47 pgs. of photos, 16 color pgs., 512p., Hardbound \$17.50
- 0120 Fretter, V. & A. Graham British Prosobranch Molluscs. 755 p., Many illus. Hardbound \$51.50
- 0348 Galbraith Subtidal Marine Biology of Calif \$4.50
- 0839 Gargiulo Conchiglie del Mediterraneo \$24.95
- 0194 Goldring Handbook of Paleontology for Beginners and Amateurs. Part 1. Reprint \$10.25



- 7970 Hertlein & Emerson 1953. Mollusks Clipperton Island with Description of new species Gastropods. Trans. SD Soc. NH, 11:345-364, pls.26-27 \$4.00
- 0873 Hertlein L.G. & Geol.&Paleo./Mar.Pliocene S.D., Pt.2 \$4.50
- 0874 Hertlein, L.G. & Geol.&Paleo./Mar.Pliocene S.D., Pt.2b \$19.95
- 0872 Hertlein, L.G. & Geol.&Paleo./Mar.Pliocene San Diego \$2.75
- 0860 Hertlein, L.G. Mar. Pleisto. Invert. Puerto Penasco \$1.95
- 0509 Hertz, C. Illustrations of the types named by S. Stillman Berry in his "Leaflets in Malacology". 42 pgs. 98 b&w photos. \$5.95
- 0216\*Hyman, L. The Invertebrates Volume VI, Mollusca 1. 792 pgs. illustrations, graphs, charts and maps. Hardbound \$74.95
- 0164 Indo-Pacific Mollusca 1, No. 7 Powell May, 1967. Family Turridae Part 1. \$6.75
- 8070 Indo-Pacific Mollusca Complete in 3 binders. \$295.00
- 0163 Indo-Pacific Mollusca Vol. 1 No. 6 Rosewater, J. April, 1965. Family Tridacnidae \$9.00
- 0181 Indo-Pacific Mollusca Vol. 1, No. 13 Emerson & May, 1973. Genus Drupa in the Indo-Pacific. 40 pgs., 35 pls. \$6.00
- 0265 Indo-Pacific Mollusca Vol. 3, No. 15 Powell November, 1973. Patellid Limpets of the World (Patellidae). 132 pgs., 123 pls. \$14.75
- 0162 Indo-Pacific Mollusca Vol. 3, No. 16 Rehder, H. November, 1973. Family Harpidae of the World. 68 pgs., 65 pls. \$9.00
- 0243 Indo-Pacific Mollusca Vol. 3, No. 17 Cernohorsky, W.O. Mitridae of the World, Part 1, Subfamily Mitrinae, 256 pgs. \$31.25
- 0488 Indo-Pacific Mollusca Vol.1, No. 8 Wilson & Mc. December, 1967. Genus Cypraea (subgenus Zoila Jousseaume) \$6.25
- 0490 Indo-Pacific Mollusca Vol.2, No. 10 Powell September, 1969. Family Turridae in the Indo-Pacific, Part 2. 214 pgs., 137 pls. \$17.75
- 0491 Indo-Pacific Mollusca Vol.2, No. 11 Rosewater, J. November, 1970. Family Littorininae, Part 1. 90 pgs., 62 pls. \$13.90
- 0492 Indo-Pacific Mollusca Vol.2, No. 12 Rosewater, J. January, 1972. Family Littorininae, Pt. 2. Subfam. Tectariinae & Echininae. 28 p., 22 pls. \$5.75
- 0489 Indo-Pacific Mollusca Vol.2, No. 9 Abbott, R.T. August, 1968. Helmet Shells of the World (Cassidae). 202 pgs. 187 pls., some in color. \$22.50
- 0494 Indo-Pacific Mollusca Vol.3, No. 14 Robertson, R.R. May, 1973. Genus Gabriellona (Phasianellidae) Indo-Pacific & West Indies. 34 p. 29 pls. \$6.25
- 0151 Ingram, W.M. 1939. Cypraeidae from Makatea Island, Tuamotu Archipelago. Occ. Pap. Bishop Mus., 14 (18): 323-325. \$2.00
- 0148 Ingram, W.M. 1947. Hawaiian Cypraeidae. Occ. Pap. Bishop Mus., 19(1):1-23, figs. 1-9. \$4.00
- 0804 Jacobson, M.K. & W. Emerson Shells from Cape Cod to Cape May. Illustrated with many excellent identification drawings. SB \$5.25
- 7096 Jacobson, M.K. 1971. Index "Revista de la Sociedad Malacologica" Vol. 1-9 (all volumes issued). 46pp. EX \$5.95
- 8080 Johnsonia Vol. 1(1) - 5(50) (Vol. 1(18) index in photocopy). \$250.00 Individual volumes & numbers are available. Write for prices on specific parts.
- 0834 Johnsonia Volume 1 (Reprint) \$39.95
- 0835 Johnsonia Volume 2 (Reprint) \$39.95
- 8100 Journal of the Malacological Society of Australia All volumes are available in original, microfiche or photocopy. Write for prices.
- 0454\*Kaas & Van Belle 1981. Genus Lepidochitona Gray, 1821 Northeast Atlantic Ocean, Mediterranean Sea & Black Sea. 43p., 128 figs., 3 maps \$8.50
- 0410\*Kaas, P. & R.A. Van Belle 1980. Catalog of Living Chitons. 144p., 8 vo. Cloth. \$21.75
- 0108 Kaestner, A. 1967. Invertebrate Zoology Volume I. Protozoa through Annelida (including Mollusca). 597p., many line drawings, some halftones. \$46.25
- 0851\*Kerney, M.P. & R.A.D. Cameron 1979. A Field Guide to the Land Snails of Britain and North-west Europe. Hardbound. \$26.95
- 0854\*Kerney, M.P., R.A.D. Cameron & J.H. Jungbluth 1983. Die Landschnecken Nord- und Mitteleuropas. 384 pgs., 776 illus., col. B&W; German. HB \$23.25
- 0496\*Kilburn, R.N. 1981. Revision of the Genus Ancilla Lamarck, 1799. Ann. Natal Mus., 24(2):349-463, 1 color pl., 262 figs. SB \$7.95
- 0209\*Kosuge, S. Illustrations of Type Specimens of Molluscs described by William Healey Dall. 64p., 29 halftone pls. SB \$15.00
- 0802 La Conchiglia many single issues (pre-1980/issues) \$5.00 per issue.
- 0801 La Conchiglia Published in Italy. International edition in English. many single issues (1980-1985 issues) \$3.50 per issue.
- 0254 Lance, J.R. New Panamic Nudibranchs-Gulf of California. Pamphlet. \$3.50
- 0214 Light, S.F., R.I. Smith et al Intertidal Invertebrates of the Central California Coast. (Light's Manual). 2nd edition. illus. Hardbound. 716p. \$33.75
- 0453 Lindberg, D. Acmaeidae. In this manual, all California limpets in the Family Acmaeidae are described, illustrated and discussed. Hardbound \$17.25
- 0510\*Lubinsky 1980. Marine Bivalve Molluscs Canadian Central & Eastern Arctic: 42 maps, 11 p. halftone pls., 111 pgs. total. \$11.70
- 7124 MacFarland, F. 1931. Drepanida, New Name for Drepania. 1p. \$1.00
- 7125 MacFarland, F.M. 1929. Drepania A Genus of Nudibranchiate Mollusks New to California. Proc. Cal. Acad. Sci., 18(15):485-496, pl. 35 \$2.25.
- 0236 Macpherson, J.H. & C.J. Gabriel 1962. Marine Molluscs of Victoria. 475p., 468 figs. Hardbound \$19.25
- 0127 Magruder & Hunt 1979. Seaweeds of Hawaii. 116 p., color illus. \$9.95
- 0215 Marincovitch Intertidal Molluscs of Iquique Chile. good halftone illus. 50 pages with charts and graphs. \$4.95
- 0206 Mclean & Owen Hybridization of Eastern Pacific Abalones. 47 pages illus. color and halftones. Large paperback. \$4.50
- 0864 McLean, J.H. 1961. Marine Mollusks from Los Angeles Bay, Gulf of California. Trans. S.D. Soc. Nat. Hist., 12(28):449-476, figs. 1-3. \$3.25



Resubscribe Dec84  
Smithsonian Institution  
Library - Acquisitions  
10th St and Constitution Av NW  
Washington, DC20560

**We have moved!**

**SHELLS and SEA LIFE**

**1701 Hyland  
Bayside, California 95524  
(707) 822-1024**

**An invitation for you and your friends to  
discover the fascinating world of**

**SHELLS and SEA LIFE**

**The one-stop source for information  
on mollusks and marine life.**

**U.S. Subscription \$36.00 for 12 issues.**

**Outside U.S. Zip Code areas \$40.00**

**(Note — we will honor all old  
subscription rate forms received  
before 1 September, 1985)**

**\* \* \***

**Send a large, self-addressed, stamped  
envelope for our latest catalog of  
antiquarian books on shells and sea life**











430.4  
0616  
Moll.

SMITHSONIAN INSTITUTION  
NOV 9 1985

LIBRARIES  
ISSN 0147-6078  
1701 Hyland St.  
Bayside, CA 95524

# SHELLS AND SEA LIFE

Resubscribe Dec 84  
Smithsonian Institution  
Library - Acquisitions  
10th St and Constitution Av NW  
Washington, DC 20560

June, 1985 — Vol. 17, No. 6

\$2.50

## IN THIS ISSUE

New Format for S&SL!

Living Clocksprings

Common Names Comments

Cypraea — and more!

## Living Clocksprings, part 1.

Chris Illert,

2 Tern Place, Semaphore Park, South Australia 5019

As early as 1890 Francois reported that *Murex fortispinna* possessed a special "tooth" on the margin of its aperture apparently for the purpose of insertion between the valves of *Arca*. This seems to be the first reference in western scientific literature to gastropod shells functioning as "can-openers". Although many snails use their shells to pry cockles open, it just had not been noticed.

A stout apertural "tooth" may likewise be found in the west Mexican genus *Acanthina* (e.g. *A. tyrianthina*, Berry, 1957) and also in the China/Korea/Japan faunas (e.g. *Ceratostoma burnetti*, Adams & Reeve 1849). So gastropods all round the world have independently developed this feature.

But, even without special spikes, the aperture of the gastropod shell can still be used as a tool in the procurement of food. One of the earliest accounts is that of Harold Sellers Colton in 1908. He studied various oyster-eating whelks and noted the way that they rotate their shell axis by contracting their columellar muscle. With their foot attached to one valve, and their shell aperture wedged firmly in the bivalve commissure-line, it is only a matter of time before the whelk overcomes its victims to obtain a meal. A recent study of European whelks *Buccinum*, by C. Nielsen (1976), found that the forces involved were sufficient to actually tear the adductor muscles of a small *Venus*.





Figure 1. The whelk *Busycon* using its shell as a tensile spring in order to pry an oyster apart (after H.S. Colton 1908).

## Plate Limpet

*Notoacmaea scutum*



Chris Selin

Another interesting example of a gastropod that uses its shell as a tensile spring, to pry bivalves apart, is the South Australian murex *Pterynotus triformis* (Reeve 1845). In two recent articles, published in *Of Sea & Shore*, I revealed how this mollusc uses its disaligned triradiate orthostichy of apertural flares as a tensile spring. Initially the South apertural flare (numbered from the current shell aperture back toward the apex) is inserted between the cockleshell valves rather like a can-opener. The groove between the first and fourth flares holds one valve, like the jaws of a vise, whilst the gastropod's foot (and sometimes its operculum) pushes the other valve away - as in Figure 2 (below).

Obviously *triformis* murexes cannot feed in this fashion during a period of shell-growth. Perhaps because of this shell-growth is infrequent but very rapid, with an entire 120 degree segment being added in just a few weeks. My aquarium studies were able to document the growth of two consecutive segments, on the same murex shell, over a period of years, and the creature only fed when whole segments had been completed.





Figure 2. A South Australian *triformis* murex using its shell flares to hold one cockle valve, whilst its soft foot pushes the other away. It attacks opposite the bivalve hinge for maximum leverage (after C. Illert 1980).





## EDITOR'S NOTES

Dear Friends:

We apologize for falling behind in publication. During October, November, and December, Sally and I (with some outside help) will be sending you seven issues, including this one. Every subscription will be honored until the S&SL publication date matches the calendar month. All will have the very latest news and articles on our favorite subjects.

This has been a very exciting year for Sally and I. We built a major addition to the house in Phoenix only to find that it still wasn't large enough for the expanding business and family needs. This has led us back to Bayside, California — 275 miles north of San Francisco in Redwood country overlooking Humboldt Bay. We have moved 40,000 pounds of books, magazines, and personal belongings and set up our operations here in our house. After painting the house outside, printing and mailing the Western Society of Malacologists Annual Report, installing a 165 foot sewer-line, and mailing the May issue of *Shells and Sea Life*, we are ready to start catching up on magazine issues.

The high cost of producing this publication has caused us to make some additional changes in format with this issue. These changes have been made only after careful consideration of all available alternatives. Our goal has always been to provide information to our readers. This format will allow us to continue publication and even to grow. The alternative is to cease publication entirely.

We have been losing literally thousands of dollars each month on the production of *SHELLS and SEA LIFE* for seventeen months now. Each copy costs more to print and mail than the subscription rate recovers. Even reducing the format size and increasing the subscription rates helped only marginally. Few people realize that one square inch of full color in the magazine costs about \$1,000.00 to produce. Additional color gets less expensive per square inch but the minimum cost is unavoidable. Book sales and our personal savings have been subsidizing each issue heavily but this cannot continue.

We have also provided all of the *Of Sea and Shore* subscribers and advertisers with free subscriptions and ads to replace what they would have lost when Tom discontinued publication. This amounted to well over \$35,000.00 in lost subscription and advertising revenue. We did this so that no one could say they "lost" their money and to dispell any possible fears about our stability. The *Opisthobranch Newsletter* was not nearly as involved or expensive as *Shells and Sea Life* but I was able to keep on a regular monthly printing cycle for most of those years. *Shells and Sea Life* will catch up and continue for years to come.

*Shells and Sea Life* is in its 17th year of monthly publication and we believe that there is a need for a MONTHLY publication on mollusks and marine life which reaches everywhere in the world. Reducing the physical size of the publication helped only marginally on postage. Remember that even charging \$30.00 extra per year for Air Mail postage we lose up to \$20.00 per subscription. Subscribers and advertisers have been generous with their support but we need more to continue with the same quality of publication and especially to improve *Shells and Sea Life*. We CAN NOT continue to absorb all of the costs and do not want to increase the subscription rates further. We want to keep the magazine within the reach of everyone.

*Shells and Sea Life*, 16(6):186

We will continue with monthly publication and increase the content significantly over the coming months. The new format will allow for more material in each issue, including black and white photographs. We intend to include much more material on fossils and paleontology to satisfy the interest subscribers have expressed. *Shells and Sea Life* will also increase coverage of related sea life although *SHELLS* continue to be the primary coverage. Before the end of 1985, *Shells and Sea Life* will be read by more than 5,000 people monthly. If advertisers and subscribers continue to grow we will be able to increase pages and color usage in the issues.

We hope that you will continue to support us with your subscriptions and information for the magazine. Thanks to many people for information for recent issues of *Shells and Sea Life*. Among them are: J. Elsen, M.L. Jaume, K. Jensen, R.G. Molenbeck, C. Poizat, and I.S. Roginskaya. The reprints and notes are very valuable and absolutely necessary to the production of the magazine. We are always pleased to receive review copies of new books and will provide a review in the next available issue of *Shells and Sea Life*. Authors and publishers should address review copies to the Editor.

We also appreciate exchange copies of other publications. Clubs and individuals interested in exchanging information monthly should write for details. We have arranged to accept Master Card and VISA payments for subscriptions and book purchases. We will take shell books in trade for subscriptions. We will gladly accept donations to help underwrite the publication costs.

The postal service's handling of magazines has long been a subject of criticism. New regulations implemented in February, 1985, require that 2nd class mail be forwarded automatically and without charge for 60 days after they receive a change of address but the postman on the route has probably not read of that fact. We continue to receive a torn off label noting that the magazine was not forwardable or that the address has changed. We have already paid for printing and mailing the issue (which costs more than the subscription rate) and cannot remail the same copy (which no longer exists). The only solution is to mail a new copy and charge the subscriber \$3.50.

Please do send us notice of changes of address well in advance — we simply cannot absorb the cost of mailing a second copy. A certain number of these labels are returned with absolutely the correct address on them. We don't know why. When we write to the subscriber they respond with the same exact address to the letter and we remail using a copy of the original label. Your address should use the same town name as the post office you receive mail from. If you are in doubt, ask your postman.

### Editorial Staff

Managing Editor .....	Steven J. Long
Assistant Editor .....	Sally Bennett
Contributing Editor .....	Hans Bertsch
Photographic Editor .....	David K. Mulliner
Contributing Editor .....	Tom Rice

### Editorial Review Board

R. Tucker Abbott	David W. Behrens
Hans Bertsch	Kerry B. Clark
Walter O. Cernohorsky	Malcolm Edmunds
Eugene V. Coan	Terrence Gosliner
Michael T. Ghiselin	James R. Lance
George L. Kennedy	T.E. Thompson
William G. Lyons	

*SHELLS and SEA LIFE* was formerly known as the *OPISTHOBRANCH NEWSLETTER*. The magazine is open to articles and notes on any aspect of malacology or related marine life. Articles submitted for publication are subject to editorial board review. Articles should be submitted typed and double-spaced. For additional information send for free booklet "Suggestions for Preparing Manuscripts for *SHELLS and SEA LIFE*."

We undertake no responsibility for unsolicited material sent for possible inclusion in the publication. No material submitted will be returned unless accompanied by return postage and packing. Authors will receive 10 free reprints of their article. Additional reprints may be purchased.

Display advertising rate is \$26 per column inch, minimum, with discounts for larger ads and multiple insertions. Send for rate card.

*SHELLS and SEA LIFE* ISSN 0747-6078 is published monthly for \$24 per year by Steven J. Long & Sally Bennett, 1701 Hyland, Bayside, CA 95524. Second-Class Postage Paid at Bayside, CA. POSTMASTER: Send address changes to: *SHELLS and SEA LIFE*, 1701 Hyland, Bayside, CA 95524. Charge on MasterCard or VISA — telephone (707) 822-1024. Outside U.S. postal ZIP code areas — \$30 surface or \$40 air mail. Send change of address 6 weeks in advance. Charge to remail issue for any reason or for sample copy \$3.00. Rates subject to change without notice.



## CLASSIFIED ADS

Advertisers are solely responsible for their material. Rates: \$2.50 per line. Payment must accompany ad copy. 30 characters and spaces per line. Partial lines count as full lines. Display ads within this section \$17.50 per column inch. Current subscribers receive a 10% discount on their ads. No other discounts are available. All display copy must be camera-ready. We reserve the right to modify copy to fit paid lines. **SPECIAL** — 25 words or less for 3 months \$25.00 prepaid.

### RENTALS

**SHELLING & FISHING** from Marco Island. Reasonable rates and good accommodations — Bianchi's Pink House Efficiency Motel; 310 Pear Tree Ave.; Goodland, FL 33933. Telephone (813) 394-3498

### SERVICES

**BOOK RESTORATION** — Sandra Redmond, 1723 Myrtle, Eureka, CA 95501 (707) 445-8918

## FOR SALE — RETAIL

**Conus granulatus** — for sale or trade. Self collected specimens priced to fit any pocketbook. Good to live gem; \$50-\$500. Write or call for particulars. Tom Honker, Box 1011, Delray Beach, FL 33444. 305-276-9658 (9-85)

I am disposing of very fine Florida tree snails *Liguus fasciatus* and a few sets of Cuban *Polymita* from my personal collection. Write for free list. No dealers please. Archie L. Jones, 8025 SW 62 Court, Miami, FL 33143.

**OUT-OF-PRINT BOOKS**; major library acquisitions. Send for new list. Richard E. Petit, P.O. Box 30, North Myrtle Beach, SC 29582, U.S.A.

**WORLD'S LARGEST ASSORTMENT FOR MEDITERRANEAN SHELL BOOKS, SEA SHELLS, LAND SNAILS, EXTINGUISHED FOSSIL SHELLS.** 60 page price list free on request. Write to: OSTINI MAURIZIO — C.P. 42 — 00055 LADISPOLI RM — ITALY —

**PLASTIC BAGS** — all types & sizes. Free price list on request. Seashell Treasures Books, 1701 Hyland, Bayside, CA 95524


**SHELLS ON STAMPS** — A beautiful addition to your shell collection! Send your want list! Jack and Myrna Golden, Golden Associates Stamp Co., P.O. Box 484, Cedarhurst, NY 11516

**WORLD WIDE SEA SHELLS** for collectors. Free Price List. Sea Gems, 2002 Margaret Drive, Wichita Falls, Texas, 76106

**BOOK CATALOG** — Seashell Treasures Books, 1701 Hyland, Bayside, CA 95524. Write for our current booklist TODAY! Specify your interests. We will send a complete copy of our most recent lists. — \$2.50 post paid.

**BUSINESS CARDS** — send sample layout for free quote. Seashell Treasures Books, 1701 Hyland, Bayside, CA 95524

**BOOKS WANTED** — We are always interested in purchasing mollusk books, journals, reprints & libraries. We also purchase some books on paleontology and marine invertebrates. Send your list and indicate prices for each item you want to sell. Please include your telephone number. We also sell antiquarian books and libraries on consignment. Seashell Treasures Books, 1701 Hyland St., Bayside, CA 95524.



House of Quality and Service  
**RICHARD M. KURZ, INC.**  
1575 NORTH 118th STREET  
WAUKESHA, WI 53226 U.S.A.

Dealer in Fine and Rare Specimen Shells  
of Superior Quality

The very best shells, at the very best prices

WRITE FOR  
FREE PRICE LIST


SHELLS BOUGHT, SOLD AND TRADED

LARGEST MAIL ORDER SEASHELL DEALER IN THE U.S.A.

Sacoglossans I have just returned from a 2-weeks vacation in the Greek island Rhodes. The water there was still fairly cold, so I didn't attempt much collecting. However, I did get 3 species of *Elysia*, 1 small *Placida dendritica* and 1 small *Aplysia* sp. from a dense growth of *Bryopsis* spp. on the leeward side of a breakwater. I now have color slides of the 3 *Elysia* spp. and would like to submit a short note on my observations on these animals, with illustrations. However, I don't know if you prefer color slides or prints [We prefer color prints]. — Kathe Jensen, Zoologisk Museum, Universitetsparken 15, DK 2100 Copenhagen, Denmark

**Berthella californica** I have been on a fishery research vessel in the Bering Sea. Collected 6 specimens of *Berthella californica* from the southeastern Bering on 26 January, 1985, in 9-12 m. Water temperature about 4.5° C. This is quite a range extension from British Columbia [Canada]. — Rae Baxter, Alaska Dept. of Fish & Game, P.O. Box 96, Bethel, AK 99559

 <p><b>WORLDWIDE SPECIMEN SHELLS</b> Your ONE STOP Marine &amp; Land Shell Connection Wide Variety of Select Quality Specimens "Knowledgeable &amp; Courteous Service" Write for Free Illustrated List (718) 357-6338 Richard Goldberg/Worldwide Specimen Shells P.O. Box 137, Fresh Meadows, NY 11365</p>	 <p><b>Mal de Mer Enterprises</b> P.O. Box 482, Dept. S West Hempstead, NY 11552, USA Outstanding quality and personal services on worldwide specimen shells. Rareities are our specialty. Free price list on request. Tel. (516) 481-0456</p>
 <p><b>FOR BEAUTIFUL DISPLAY</b> USE ACRYLIC STANDS BY VENUS Pleasing Customers Since 1973 WHOLESALE ONLY — WRITE <b>VENUS DISPLAYS</b> Box P, 10713 Ashby Ave., Los Angeles, Calif. 90064 Special stands for shells. Tel: (213) 836-3177</p>	 <p><b>RARE SHELLS OUR SPECIALTY</b> Largest stock of worldwide specimens on the West Coast. Plus unique and beautiful fine art, carvings, handcrafted jewelry. Weavings — All related to the Sea. <b>RETAIL ONLY</b> — No Lists of Catalogues We do our best to answer specific requests sent by mail. Ask any collector! Specimen shells graded by the HMS-ISGS</p>
<p>Shells • Coral • Jewelry • Gifts</p>  <p><b>THE SHELL STORE</b> 440 - 15th Avenue St. Petersburg Beach, FL 33706 Between Blind Pass Road and Gulf Boulevard Phone 360-0586 WRITE FOR FREE PRICE LIST</p> <p>CONUS spurius atlanticus</p> <p>ROBERT LIPE BETTY LIPE</p>	<p><b>PHILLIP W. CLOVER</b></p>  <p>COLLECTOR &amp; DEALER IN WORLDWIDE SPECIMEN SEA SHELLS CURRENT AND OUT OF PRINT SHELL BOOKS FREE PRICE LISTS UPON REQUEST P.O. Box 83, Glen Ellen, CA 95442</p>
 <p><b>The Abbey</b> Specimen Shells P.O. Box 3010 Santa Barbara, CA 93105 (805) 963-3228 Over 3,000 species regularly in stock! We will select your shells as if they were for our own collection . . . and we're very, very picky! Bob Foster &amp; Charles Glass</p>	 <p><b>Tom Shepherd</b> Specimen Sea Shells 2222 Beech Street Virginia Beach, VA 23451 Free Price List Upon Request</p>
<p><b>SHELLS and CORALS</b></p>  <p><b>THE SHELL GALLERY</b> 17 UNION STREET NEWTON CENTRE MASSACHUSETTS 02459 (617) 234-0118</p>	<p><b>Showcase Shells</b></p> <p>One of the largest selections of outstanding specimen shells to be found anywhere! Complete stocks of Cypraea, Conus, Murex, Pectens, Miters, etc. for the beginning as well as the most advanced discriminating collector. Send for FREE Price List.</p> <p>Bev &amp; Al Deynzer (813) 472-1971</p> <p>Heart of the Island Plaza 1614 Periwinkle Way Sanibel, FL 33957</p>
<p><b>THOMAS HONKER</b> P.O. Box 1011 — 25 N.E. 10th Street Delray Beach, Florida 33444 Phone: (305) 276-9658 Dealer in finest quality worldwide specimen shells for the discriminating collector. Caribbean specialist. Extensive stock both marine and land, uncommon to rare. Your want lists and inquiries invited. Send for Free Price List. HMS-ASGS</p>	



Chris Selmer



## READER FORUM

Comments on "Crazy Popular Names by Scientists." As Chairman of the Committee on Scientific and Vernacular Names of Mollusks, I feel obliged to comment on R. Tucker Abbott's article "Crazy Popular Names by Scientists." My major comment has to be on my initial feelings when reading it already published: I was totally surprised. Tucker has been a member of AMU's Common Names Committee since long before I became chairman — about eight years now. In May 1983, this committee was transferred to CSM, which retained the two original committee members (Tucker Abbott and Dave Stansbery), added a few more members as appropriate, and changed the name and thrust of the project from that of establishing common names for mollusks to establishing a species list of North American mollusks with accompanying distributions and, where desired (but notice, not for all species), to provide a common name, thereby standardizing a name from the myriad of available common names. Tucker also is an author and editor of the list he criticizes as though someone else is responsible.

I take exception to many statements in his article.

First, "Given a choice, all malacologists and most readers of SHELLS and SEA LIFE will use the scientific names." Although I am a malacologist/Marine ecologist and a reader of SHELLS and SEA LIFE, I certainly wouldn't dream of going into a restaurant, fish market, down to the docks, or impressing my friends at a party with my vast reservoir of species names for fish and shellfish. In fact, I usually do not use Linnean classification in conversations, to avoid pomposity. I use common names.

Second, "... one way to belittle such publications is to create as much confusion as possible about common names." I cannot agree with the implication that the sincere, time-consuming effort of 7 committee members, 19 authors, approximately 100 reviewers, and others who have contributed so much to this effort over the past two years (Steve Long, for instance, who volunteered the time and expense to publish the draft list for review) could be considered by anyone as an attempt by "threatened ... professional biologists" to create confusion about common names. Rather, if Tucker follows through with his comment "the list of land shells is almost as bad, and one I would never use in preparing my forthcoming 'Compendium of Land Shells,'" then surely that is the example of a professional malacologist creating confusion.

Third, I personally do not like the comment "Some common names have been taken from illiterate clam fishermen." It is discriminatory. The many fishermen I know are highly intelligent and not in the habit of inventing common names. I work

for the National Marine Fisheries Service which has active lobbying, literate commercial and recreational fishermen. I do not see a problem in accepting names used only locally, since that is what a common name is all about. His examples of "Floater, spike, highnut, clubshell, and bloofer" do not violate the tenets of good taste, one of the principles used in assigning common names [see SHELLS and SEA LIFE 16(9):144]. There's no reason I can think of why "They do not belong in modern popular literature;" whereas, Tucker's example of "pisclam" (however it is spelled) does not.

Fourth, the comment "Here are some official AMU names" is wrong on several counts. The September issue of SHELLS and SEA LIFE [16(9):142] announced that a "draft preliminary list" was "being presented to an expanded shell audience for further review and comment" and that selected comments would be published, thereby providing a forum for discussion. All comments received have been responded to and the draft lists correspondingly revised where appropriate. The whole reason for AMU accepting Steve Long's offer to publish the draft lists for review was to get comments and reviews from as many malacologists and conchophiles as possible — a real team effort if you will. This is the reason I feel obligated to respond to Tucker's article. This has been a concerted effort for many and we wanted more. Typos, incorrect scientific names, omissions of new species, out-of-date familial phylogenetic relationships, species outside the study scope (continental United States and Canada out to a depth of 200 meters), and homonyms or inappropriate selection of common names were for reviewers to help find. This "official list" is not official until CSM and AMU formally accept it and present it to the American Fisheries Society for review and publication.

Fifth, the aside "(and remember that the AMU follows the fish people by not capitalizing common names ...)" is not correct. A "strawman" list was prepared by committee members for the August 1983 CSM/AMU meeting to reveal major problems in undertaking such a large team exercise. Prior to the CSM meeting, the committee listed, discussed, and offered recommendations for resolutions to the problems they encountered. They discussed specifically, and agreed not to capitalize common names. Twenty specific recommendations in addition to the general recommendation to adopt AFS's principles were made by the committee to CSM and accepted unanimously by CSM. In turn, AMU accepted CSM's resolution unanimously. For me, the issue of capitalizing common names for CSM's list was formally decided two years ago when AFS would have modified their principles to accommodate CSM and AMU, had they had a problem. CSM and AMU did not request modification of that principle. This in no way limits a respective author from capitalizing molluscan common names in the literature if he so desires.

Finally, I want to acknowledge Tucker's contributions to the committee and as author. These comments of mine in no way are meant to detract from his efforts on behalf

of the large effort we have all made to prepare and refine a list comprising approximately, 6,700 species of mollusks. Instead, I hope to convince you, the reader, that the list needs your sincere attention. If you "could care less" about common names, then concentrate your efforts on the species list of your taxonomic specialty. Instead, if you really care about reducing confusion and selecting the most appropriate common name, then let me or any author know, either at AMU this year or send us a note. You may also write to Steve Long, publisher of Shells and Sea Life. Here is the list of authors:


1. Terrestrial gastropods. Fred G. Thompson, The Florida State Museum, Museum Road, Gainesville, FL 32611, Arthur E. Bogan, William L. Pratt, Dorothea Franzen, Kenneth Emberton, Jane Deisler, Amy S. VanDevender
2. Freshwater gastropods. Fred G. Thompson, Charlotte M. Porter
3. Marine gastropods. William G. Lyons, 4227 Porpoise Dr. S.E., St. Petersburg, FL 33705, James F. Quinn, Jr.
4. Polyplacophorans. William G. Lyons
5. Marine bivalves. R. Tucker Abbott, P.O. Box 2255, Melbourne, FL 32901, Eugene Coan, Donna D. Turgeon
6. Freshwater bivalves. David H. Stansbery, Arthur E. Bogan, Dept. of Malacology, Academy of Natural Sciences, 19th and the Parkway, Philadelphia, PA 19103
7. Scaphopods. William K. Emerson, American Museum of Natural History, Central Park West at 79th St., New York, NY 10024, Margaret McFadden Carter, John N. Kraeuter
8. Aplacophorans. Amelie Scheltema, Woods Hole Oceanographic Institute, Woods Hole, MA 02543
9. Cephalopods. Clyde F.E. Roper, Division of Mollusks, NHBE 517, Museum of Natural History, Smithsonian, Washington, DC 20560

Dr. Donna D. Turgeon, Chief, Regulations Unit, National Marine Fisheries Service, F/M12, Page Bldg. II, 3300 Whitehaven St. NW, Washington, DC 20235

\*\*\*\*\*

Plate Limpet

*Notoacmaea scutum*



Chris Selin



0205 American Malacological Union. How to Study and Collect Shells. 4th Ed. Detailed, complete instructions on all phases of shell collecting. Information on clubs, other publications and more. 107 pages. Highly recommended for beginners. Softbound Order No. 0205 — \$2.50



4001 American Malacological Union. 1984. Common Names List of North American Terrestrial Mollusks. S&SL, 16(10):167-174. — \$2.50

4002 American Malacological Union. 1984. Common Names List of North American Marine Gastropods. S&SL, 16(11):199. — \$2.50

4003 American Malacological Union. 1984. Common Names List of North American Marine Gastropods, Part 2. S&SL, 16(12):227-230, 235-238. — \$2.50

4000 American Malacological Union. 1984. Principles Governing Selection of Common Names of Aquatic Invertebrates from America North of Mexico. S&SL, 16(9):143-145. — \$2.50

4004 Anderson, Roland. 1984. An Alternate Food for some Captive Nudibranchs. S&SL, 16(12):224, 2 photos. — \$2.50

7319 Andrews, J. Shells & Shores of Texas. 24 pages of color plates. Good cloth binding. 365p. this book is now out of print. Hardbound — \$39.95

0394 Andrews, J. Texas Shells. A Field Guide. Covers mollusk collecting from the shallow marine waters of the Texas coast. Includes a few from the deeper waters of the Gulf of Mexico. Provides details about each specimen and the phylum Mollusca as a whole with much information regarding the history and physical makeup on the Texas coast. Indicates shelling areas. Also preparation of the animals for food. 156 pages, color cover, many line drawings and halftone illustrations. Softbound \$9.80

2010 Annals of the Natal Museum 1969-1983. Vol. 19-25 complete. About 400 pages per volume with several molluscan papers in each volume. — \$395.00

7444 Arakawa, K. Shells on Stamps of the World. In both Japanese & English text. 144 countries covered. Full descriptions. 438 pages, 16 full color plates plus many halftones. Hardbound — \$17.50

0272 Arnold, A.F. Sea Beach at Ebb Tide. Complete coverage of life forms found between the tidal marks, in particular those of the lower tidal area. Full coverage of seaweeds and algae. More than 600 illustrations including line drawings and halftones, 490 pages. A very complete and highly recommended field book. Softbound — \$7.50

7184 Arnold, W. A Glossary of 1001 Terms used in Conchology. Large format with detailed explanations of conchological terms including illustrations and diagrams. An excellent work -- we have not seen better anywhere! Soft cover — \$5.95

7806 Aubry, Umberto 1984. Terebridae (Mollusca: Gastropoda). published by the author. 48 p.; 15 color pls. Illustrated are 4 fossil and nearly 200 living species, though 8 deep water Philippine specimens are without specific names. Provided are generic and specific designations, with author and date, for each taxon illustrated; size of specimen, locality, depth, and the author's estimate of rarity are included. The color photos are generally of good quality. The detailed list of references will be of use to those

interested in these marine mollusks, and an index will allow the reader to locate a particular species. Although acknowledged by the author not to be a scientific study, this book is the only popular treatment devoted entirely to this family. Softbound — \$14.95

2020 Australian Shell News Each issue is about 10-16 p. Includes B&W photos. Some numbers only in photocopy. 48 numbers have been produced to date. Each number — \$2.00

7461 Backhuys, W. Land & Freshwater Molluscs of the Azores. Thesis. 450p., 32pls. Softbound — \$44.20

7356 Bagnis, R. & E. Christian Underwater Guide to Tahiti. One of the finest color guides we have seen. 152 pages filled with superb color photos of the beaches, tidepools, fish, mollusks, invertebrates and diving areas of Tahiti. Most interesting book in a long time. Beautiful. Soft cover with clear plastic jacket. — \$12.75

7240 Baker & Hanna 1927. Marine Mollusca of the Order Opisthobranchiata. Proc. Calif. Acad. Sci., 16(5): 123-135, pl. 4. — \$3.10.

3004 Baker, F.C. 1919. Fresh water Mollusca from Colorado and Alberta. Bull. AMNH 41(13):527-539, figs. 1-4. — \$6.00

3003 Baker, F.C. 1919. Mollusca of the Crocker Land Expedition to northwest Greenland and Grinnell land. Bull. AMNH 41(11):479-517, pls. 25-27. — \$9.75

7250 Baker, H.B. 1963. Type Land Snails in the Academy of Natural Sciences of Philadelphia Part II. Land Pulmonata...N of Mexico. p. 191-259, — \$6.70

7245 Baker, Hanna & Strong 1938. Mol. Fam. Cerithiidae, Cerithiidae & Cyclostrematidae Gulf Calif.... Proc. Cal.Acad.Sci. 23:217-244, pls. 17-23. — \$5.95

7399 Barnes Invertebrate Zoology. Excellently illustrated. Photos illuminate the informative narrative for serious students of biology and zoology. — \$19.95

0111 Barr, L. & N. Barr Under Alaskan Seas. The Shallow Water Marine Invertebrates. Alaska Northwest Publishing Co., 208 pages, 241 color photos. Includes description, maximum size and geographic range for 241 species of Alaskan invertebrates. Softcover — \$14.95



Fig. 366. — Animal de Yulata (Amoria) undulata, Lamarck (Quoy et Gaimard).

3070 Bartsch, P. 1918. A new West Indian fossil land shell. Proc. USNM, 54:605-606, pl. 93. \$2.00

7248 Bartsch, P. 1946. The Operculate Land Mollusca. Annulariidae of Hispaniola & Bahamas. 264 pp., 38 pl. SB \$30.00

3035 Bartsch, P. Three new land shells from Mexico. Proc. USNM, 67(22):1-5, pl. 1. \$1.50

7508 Basly, J. Moluscos Marinos Del Norte de Chile. Spanish. 49p., paperback catalog of mollusks of northern Chile. Black & white photos. \$10.25

0129 Bavendam, F. Beneath Cold Waters. The Marine Life of New England. Down East Books, 127 pages, 145 color plates. Guide to the subtidal marine life of the Gulf of Maine. Includes common invertebrates and fish most likely to be observed by divers. Softcover — \$15.55

2786 Beeman, R.; J. McGowan 1968. pteropods, anaspideans, gymnosomes. The Veliger, 3(sup. pt. 2): — \$5.00

7413 Behrens, D.W. Pacific Coast Nudibranchs. The first full color photo identification guide to an opisthobranch fauna. This unique book includes photographs of and current scientific names for ALL the known opisthobranch species from the Pacific Coast of America, between Alaska and Baja California. Includes color photos of many undescribed species. Excellent field guide for opisthobranchs. Softbound — \$19.95

4008 Behrens, David W. & Hans Bertsch, 1984. Hiding the Shell: an old Twist on the old Shell Game. S&SL, 16(8):112-115, figs. 1-7. — \$2.50

4007 Behrens, David W. 1984. A Marginellid Dilemma. S&SL, 16(12):240-242, 2 photos, 4 figs. — \$2.50


4005 Behrens, David W. 1984. Lamellaris: Masters of Disguise. Opisthobranch, 16(4):42-44, 4 photos. — \$2.50

4006 Behrens, David W. 1984. Mollusks: A Look at their Ecological Importance. S&SL, 16(7):106-108, 1 tbl., 1 photo. — \$2.50

7441 Bennett, I. Great Barrier Reef. Explains how the Great Barrier reefs are formed and how they live and grow. Describes the life mechanisms of the reef's invertebrate animals including sponges, worms, crabs, mollusks, sea stars and sea urchins. Describes the rich vegetation and fish and bird life of the reef zone. Includes color photographs, maps and diagrams. A beautiful hard bound coffee table book as well. — \$45.00

3016 Bequaert, J.C. & W.J. Clench 1934. Studies of African land and fresh-water mollusks. 3. — West African Achatinae related to Achatina balteata Reeve. AMNH Novitates (705):1-16, figs. 1-7. — \$3.20

0199 Bergeron, E. How to Clean Seashells. Covers methods of cleaning seashells including boiling, refrigeration, alcohol, formalin, lye, muriatic acid, bacteria and more. Includes special methods for chitons, bivalves and hermit crabs. Tells how to label and ship shells. Color cover, 32 pages, 5-1/2" x 8-1/2" format.



— Murex radix, Gmelin (Chenu).

Best available information. Soft cover — \$1.00

7497 Bernard, F.R. 1983. Catalog of Living Bivalvia of the eastern Pacific Ocean: Bering Strait to Cape Horn. 1308 species 102p. \$9.95

4009 Bernard, John. 1984. Collecting on the Great Barrier Reef (Capricornia Section). S&SL, 16(10):163. — \$2.50

0351 Berrill N. 1001 Questions about the Seashore. Answers in complete detail many questions about the plants, animals and seashore. Well arranged with excellent illustrations. 305 pages. A most interesting book for all ages. Softbound — \$4.50

7249 Berry, S.S. 1929. Loliolopsis chiroctes, new Genus & Species of Squid from Gulf Calif. Trans. San Diego Soc. NH, 5(18):263-282, 2 pls. \$5.00

0412 Bertsch, H. & S. Johnson Hawaiian Nudibranchs. The exotic photos and authoritative text of this book introduce some of the most beautiful and fascinating animals that live in the ocean. The authors have carefully chosen the best underwater photos to illustrate the rainbow colored nudibranchs. 112 pages with 134 full color pictures. Softcover Order No. 0412 — \$8.95

4022 Bertsch, Hans & Terrence Gosliner, 1984. Tritonia pickensi (Nudibranchia: Tritoniidae) from Baja California, Mexico. S&SL, 16(9):138-139, 5 photos. — \$2.50

4020 Bertsch, Hans. 1984. Notes from Hans Bertsch: An International Reconnaissance Expedition to Baja California Sur, Mexico: Part II. — \$2.50

4019 Bertsch, Hans. 1984. Notes from Hans Bertsch: An International Reconnaissance Expedition to Baja California Sur, Mexico: Part I. S&SL, 16(10):182-184, 4 photos. — \$2.50

4018 Bertsch, Hans. 1984. Notes from Hans Bertsch: Deep-Water Rarities: Calliostoma platinum and Lima sphoni. S&SL, 16(9):140-142. — \$2.50

4021 Bertsch, Hans. 1984. Notes from Hans Bertsch: Gorgonians: The Oceans's Fanciful Menorahs and Christmas Trees. S&SL, 16(12):246-248, 2 text figs, 9 photos. — \$2.50

4012 Bertsch, Hans. 1984. Notes from Hans Bertsch: Hawaii's Checkered Cowrie. Opisthobranch, 16(3):31-32, figs. 1-5. — \$2.50

4014 Bertsch, Hans. 1984. Notes from Hans Bertsch: How Many Species in the Cypreaa teres "Complex"? S&SL, 16(5):62-64, figs. 1-6. — \$2.50

4013 Bertsch, Hans. 1984. Notes from Hans Bertsch: Just Living

Together: Pecten and Capulus. S&SL, 16(4):38-39, figs. 1-4, tbl. 1. — \$2.50

4017 Bertsch, Hans. 1984. Notes from Hans Bertsch: The Anatomy and Reproductive Biology of Cyphoma gibbosum. S&SL, 16(8):119-122, figs. 1-6. — \$2.50

4016 Bertsch, Hans. 1984. Notes from Hans Bertsch: The Feeding, Anatomy and Reproductive Biology of Cyphoma gibbosum. S&SL, 16(7):89, 100-101, 1 photo. — \$2.50

4010 Bertsch, Hans. 1984. Notes from Hans Bertsch: The Inside-Out Clam: Chlamydoconcha. Opisthobranch, 16(1):7-8, 1 photo. — \$2.50

4015 Bertsch, Hans. 1984. Notes from Hans Bertsch: Cyphoma: The Hump Shells. S&SL, 16(6):85-88, 7 photos. — \$2.50

4011 Bertsch, Hans. 1984. Notes from Hans Bertsch: Jenneria pustulata, the Pustulate "Cowrie." Opisthobranch, 16(2):9-10, figs. 1-3. — \$2.50

7955 Binney, W.G. & G.W. Tryon 1864. The Complete writings of Constantine Smithe Rafinesque on Recent & Fossil Conchology. SB 96p. + index & pls. \$8.50

7251 Binney, W.G. 1864-1864. Bibliography of N. American Conchology, 650 + 306pp. [Bound in 1 vol.; some damage to binding; otherwise complete. AV \$85.]

7310 Boger, H., R. Gersonde & R. Willmann 1979. L'evolution des gasteropodes lacustres paleoecologie diatomees Neogene Kos. Geobios, 12(3): 423-433. — \$2.50

7320 Bolles Lee, A. & L.F. Henneguy 1896. Traite methodes techniques l'anatomie microscopique histologie, embryologie et zoologie. 515pp. HB, AV \$75.00

7330 Borgese, E. 1975. The Drama of the Oceans. HB 258pp., many color pls. — \$25.00

7462 Bosch, D. & Bosch Seashells of Oman. 208 pages, over 350 full color illustrations. The remaining stocks are no longer available at standard trade discounts and this book may soon be unavailable. Hardcover — \$39.95

3026 Boss, K.J. & M.K. Jacobson 1973. Monograph of Alcadia in Cuba. Bull. MCZ 145(7):311-358, pls. 1-6, figs, maps. — \$8.95

0291 Bouchet, P. Seashells of Western Europe and the English Channel. This is the English translation of "Coquillages des Cotes Atlantique". A small hardbound book illustrated in excellent color. Full descriptions of all species covered. Hardcover — \$6.95

7130 Brann, 1966. Illustrations to the Catalogue of Mazatlan Shells. 111 p., 60 pls., B&W drawings \$11.75



- 0159 Braun, E. & V. Brown. Exploring Pacific Coast Tidepools. Full coverage of tidepool animals, seaweeds, shells and other invertebrates that inhabit tidepools on the Pacific coast. Illustrated in Color. Softcover Order No. 159S \$4.95, Hardcover Order No. 159H — \$10.95
- 7340 Braun, E. 1975. Tidepine. Viking Press, 144 pp., HB \$15.50
- 7455 Breure A.S.H. & A.A.C. Eskens Notes and Descriptions of Bulimulidae #186. Zool. Verhand. Anatomical data 52 species. 376 figs, 4 tpls, 8 pls. \$24.75
- 7103 Brigham, W.T. 1900. An Index to the Islands of the Pacific Ocean. Bishop Museum, Memoir, 1(2):173 p., figs., maps, tpls. Reprint SB \$49.75
- 4023 Brookshire, Jack W. 1984. Dr. S. Stillman Berry 1887-1984. S&SL, 16(5):58-59, 1 photo. — \$2.50
- 0406 Brost F.B. & R.D. Coale A Guide Shell Collecting in the Kwajalein Atoll. 157 pages. Descriptions and black and white figures of over 200 shells from the Kwajalein area. Useful for other Pacific areas. Softcover — \$11.00
- 7179 Brown, D.S. 1980. Freshwater Snails of Africa and their Medical Importance. 400 species, most illustrated, 450 pages, HB., 153 text figs. \$65.25
- 0177 Brusca, G.J. & R.C. Brusca A Naturalist's Seashore Guide. Mad River Press, 205 pages, illustrations & keys. Intertidal plants and animals of Northern California region. Softcover — \$9.95
- 0135 Brusca, R.C. Common Intertidal Invertebrates of the Gulf of California. 2nd Edition, Univ. Arizona Press, 513 pages, 14 pages of color photos, many black & white photos and drawings. Softbound — \$26.95
- 7180 Bruynseels, Roding 1798. Genus *Cymbium*. Completely revised by Bruynseels. English ed. Paperback, halftones; 36 pages. Reprint \$6.95
- 2068 Bulletin of the Institute of Malacology Tokyo, 1(01): May 1979 — \$8.25
- 2069 Bulletin of the Institute of Malacology Tokyo, 1(02): November 1979 — \$7.50
- 2676 Bulletin of the Institute of Malacology Tokyo, 1(03): February 1980 — \$12.00
- 2369 Bulletin of the Institute of Malacology Tokyo, 1(04): July 1980 — \$8.25
- 2375 Bulletin of the Institute of Malacology Tokyo, 1(05): November 1980 — \$9.75
- 2416 Bulletin of the Institute of Malacology Tokyo, 1(06): July 1981 — \$9.75
- 2432 Bulletin of the Institute of Malacology Tokyo, 1(07): October 1981 — \$8.25
- 2475 Bulletin of the Institute of Malacology Tokyo, 1(08): January 1983 — \$7.50
- 2486 Bulletin of the Institute of Malacology Tokyo, 1(09): July 1983 — \$9.75
- 2513 Bulletin of the Institute of Malacology Tokyo, 1(10): May 1984 [New Buccinum, Pterochelus, Muricopsis, Cantharus; Family Conidae] — \$7.50
- 2956 Bulletin of the Institute of Malacology Tokyo, 2(01):1-18, pls. 1-8. October 30, 1984 — \$10.00
- 2957 Bulletin of the Institute of Malacology Tokyo, 2(02):19-44, pls. 9-15. April 30, 1985 — \$10.00
- 2958 Bulletin of the Institute of Malacology Tokyo, 2(03):45-60, pls. 16-23. July 10, 1985 — \$10.00
- 2360 Bulletin of the Southern California Academy of Sciences, 1972. Vol. 71(2):57-112 \$4.95
- 2370 Bulletins de la Societe Malacologique de France 1882-1890, Vol. 1-7, original uncut pages; about 400 pages per volume. Rare complete set. \$700.00
- 7871 Bunton, G.W. 1966. The Tides, 20p, 17 figs. \$1.95
- 7500 Burgess, C.M. 1985. Cowries of the World. Color throughout this large volume with photos of all known cowrie species including shells and living animals. More than 150 pages of color with each species illustration on the same page with the text describing the animal, its habitat, and range. Beautiful hard cover book. — \$95.00
- 0408 Burgess, W.E. Corals, descriptions of the characteristics of corals of many varieties. Color, black and white photos and line drawings. Identification and habitat data. 96 pages, 64 color photos. Hardcover — \$4.95
- 7282 Burnay, L.P. & A.A. Monteiro Seashells from Cape Verde Islands. Descriptions and habitat data. 87 pages, 14 black and white plates. Softcover — \$6.50
- 2710 Burnett, R., D.P. Abbott, I. Abbott et al 1975. The Biology of Chitons. The Veliger, 18(Supp.):1-128, illus. — \$18.50, microfiche — 6.95
- 7390 Buschmeyer, H. 1938. 70 Jahre Molluskenkunde (1869-1938). Senckenbergische Naturforsch. Gesellsch., 108pp. Index of papers 1869-1938 \$15.00
- A100 Business Cards - Seashell logos. Best prices around. Send layout or sample card for quote. Fast delivery.
- 6400 Cahn, A.R. 1922. *Chlamytherium septentrionalis*, Fossil Edentate New to Fauna Texas. J. Mammalogy, 3(1):22-24, 2pls. [EX \$1.45]
- 7410 Caldwell & Brown 1964. Tooth wear correlate described feeding behavior killer whale.... Bull. SC Acad. Sci., 63(3): 128-140, figs. \$1.50
- A692 Calendar — Nudibranch Calendar-1985 12mo. by Jeff Hamann. Photos suitable for framing. Jeff is not doing a 1986 calendar. — \$3.50
- A807 Calendar — Seashell Calendar-1985 15 month by Pete Carmichael. Photos suitable for framing. — \$3.50
- 0411 Campbell, A.C. The Seashore and Shallow Seas of Britain and Europe. Descriptions of the form, habitat and distribution of many of the more common marine species. The text and detailed color plates aid in identification of most of the common seashore life. The excellent illustrations and text make this a valuable and attractive guide. Softcover Order No. 411 \$11.50
- 7187 Carl G.C. 1971. Guide to Marine Life British Columbia. A Museum of British Columbia publication. Detailed coverage of tidepools, shore life, birds and mammals of the Pacific Northwest coastal area. 135 pages, many halftones. Softcover — \$4.50
- 7420 Carlisle 1960. Barred surfperch (*Amphistichus argenteus* Agassiz) So. Calif. Fish Bull. 109, 79pp., 1 col. photo, figs., tpls., B&W photos. \$4.95
- 7430 Carlisle, J.G., Jr., C.H. Turner & E.E. Ebert 1964. Artificial Habitat in the Marine Environment. Fish Bull. 124, 93pp., photos & figs., tpls. \$5.95
- 4024 Carmichael, Pete. 1984. *Donax variabilis* Say, 1822. S&SL, 16(7):94-95, 1 photo. — \$2.50
- 7131 Carpenter, P.P. 1967 Reprint of 1857 book. Catalogue of the Collection of Mazatlan Shells in the British Museum. SB, 552 pages. \$11.80
- 0110 Case, G.R. A Pictorial Guide to Fossils. Van Nostrand Reinhold Co., 514 pages, over 1300 photos and drawings. Hardcover — \$110 \$31.75
- 0207 Cassanova, R. & R.P. Ratkevich Illustrated Guide to Fossil Collecting. An in depth guide to fossil collecting for the amateur. 240 pages, many halftones. Softbound — \$7.25
- 7440 Cate, C.N. 1960. New Hawaiian subspecies of *Cypraea cernica*. Veliger separate \$2.50
- 7450 Cate, C.N. 1960. Revision of the Status of *Cypraea ostergaardi*. Veliger separate \$2.50
- 7460 Cate, C.N. 1961. Rediscovery of *Cypraea tigris lyncichroa*. Veliger separate \$2.50
- 7470 Cate, C.N. 1977. A Review of the Eratoidae (Mollusca: Gastropoda). Veliger, 19(3):341-366, 15 plates, 13 text-figs. \$9.95
- 7232 Caum, E.L. 1928. Check list of Hawaiian land and fresh water mollusca. Bernice P. Bishop Museum, Bull. 56, p. 1-79, Softbound Reprint 1974 \$12.95
- 7822 Cernohorsky, W.O. & T. Bratcher 1976. Notes on the taxonomy of Indo-Pacific Terebridae...with description new species. 10 p., 27 figs. \$2.95
- 7237 Cernohorsky, W.O. 1972. Marine Shells of the Pacific, Vol. II, 410p., illus. \$49.95
- 7820 Cernohorsky, W.O. 1975. Supplementary notes on the taxonomy of the buccinid species of the subfamily Pisaninae 37 p., 75 text-figs. \$4.95
- 7827 Cernohorsky, W.O. 1975. The taxonomy of Caribbean-Atlantic Costellariidae. 23p., 35 text-figs. \$3.95
- 7819 Cernohorsky, W.O. 1975. The taxonomy of some Indo-Pacific Mollusca Pt. 3. 22p., 60 text-figs. \$3.95
- 7821 Cernohorsky, W.O. 1975. The taxonomy of some West American and Atlantic Nassariidae based on their type specimens. 53p., 93 text-figs. \$6.95
- 7823 Cernohorsky, W.O. 1976. The taxonomy of some Indo-Pacific Mollusca Pt. 4. ... remarks on *Nassarius coppingeri*, (Smith). 19p., 43 figs. \$2.95
- 7347 Cernohorsky, W.O. 1977. A study of *Scutus antipodes* Montfort. 7p. 11 text-figs. \$2.50
- 7145 Cernohorsky, W.O. 1977. Correction to the Nomenclature of *Bullia*. 3p., text-fig. \$2.50
- 7260 Cernohorsky, W.O. 1977. Note on two Pacific Gastropods. 4p., 4 text-figs. \$2.50
- 7826 Cernohorsky, W.O. 1977. The taxonomy of some Indo-Pacific Mollusca. Pt. 5. new taxa ... remarks *Nassarius albus*. 12p. 22 text-figs. 2.95
- 7824 Cernohorsky, W.O. 1977. The taxonomy of some molluscan species reported from New Zealand. 18p., 22 text-figs. \$2.95
- 7825 Cernohorsky, W.O. 1977. The taxonomy of some southern Ocean Mollusca mainly Antarctic and SubAntarctic. 15p., 19 text-figs. \$2.95
- 7828 Cernohorsky, W.O. 1978. The taxonomy of some Indo-Pacific Mollusca. Pt. 6. 20p., 40 text-figs. \$3.95
- 7238 Cernohorsky, W.O. 1978. Tropical Pacific Marine Shells. 352p., illus. This book now out of print. \$69.95
- 7256 Cernohorsky, W.O. 1980. New Species of bathyal gastropods from Australia and New Zealand. 4p. 5 text-figs. \$2.50
- 7831 Cernohorsky, W.O. 1980. Systematics of some West Pacific *Lyria* (Volutidae) with descriptions of new species. 8p., 13 text-figs. \$2.95
- 7398 Cernohorsky, W.O. 1980. The taxonomy of some Indo-Pacific Mollusca Pt. 8. 18p., 35 text-figs. \$3.95
- 7829 Cernohorsky, W.O. 1980. The taxonomy of some Indo-Pacific Mollusca. Pt. 7. 17p., 34 text-figs. \$3.95
- 7832 Cernohorsky, W.O. 1982. Catalog of the family Nassariidae in Wagner and Abbott, Standard Catalog of Shells. 44p., Text-fig. \$7.95
- 7477 Cernohorsky, W.O. 1982. Description of a new *Vexillum* (Costellaria) from the West Pacific Ocean. 3p., 6 text-figs. \$2.50
- 7479 Cernohorsky, W.O. 1982. Taxonomic status of *Cronia fuscilla* (Gmelin, 1791) and *C. margariticola* (Broderip, 1833). 12p., 21 figs. \$3.00
- 7478 Cernohorsky, W.O. 1982. The taxonomy of some Indo-Pacific Mollusca Part 10. 22p., 57 text-figs. \$5.25
- 7505 Cernohorsky, W.O. 1983. The taxonomy of some Indo-Pacific Mollusca Part 11. 18p., 35 text-figs. \$4.00
- 7803 Cernohorsky, W.O. 1984. Systematics of the family Nassariidae. 356p., 172 text-figs., 51 black and white plates. \$36.75
- 7448 Cernohorsky, W.O. The taxonomy Indo-Pacific Mollusca Part 9. 10p. 18 text-figs. \$3.50
- 7861 Chace, E. 1956. Additional Notes on the Pliocene and Pleistocene fauna of the Turtle Bay Area, Baja California, Mexico. 3p. \$2.50
- 7863 Chace, E. 1958. Marine Molluscan fauna of Guadalupe Island, Mexico. 14p. with. E.P. Chace. A new mollusk from San Felipe, Baja California. \$2.50
- 3005 Chambers, Leslie 1934. Studies on the organs of reproduction in the nudibranchiate mollusks. Bull. AMNH, 46(6):599-641, pls. 28-36. — \$8.60
- 7472 Chatenay, J.M. Niger and Rostrate Cowries of New Caledonia. Printed in both English and French. Illustrations of 38 melanistic and rostrate cowries from New Caledonia. Many color plates. 109 pages. Softcover — \$29.95
- 7358 Chatfield, J.E. 1977. Welsh Seashells, covers the shells of the Welsh coastline, SB., 44p., 60 plates, halftones some color. \$3.95
- 7508 Christa-Galli Deadly Cones; Fish-hunting Snails of the Sea. Pamphlet about beautiful and poisonous cone shells. 12 pages, 15 black & white photos. Softcover — \$2.50
- 7490 Clark, H.L. 1929. New Miocene Echinoid from California. Trans. San Diego Soc. Nat. Hist., 5(17):257-262, pl. 31. \$2.50
- 3055 Clark, H.L. 1937. A new sea-urchin from the "Oligocene" of Oregon. Trans. SD Soc. Nat. Hist., 8(28):367-374, pl.24. \$2.50



Fig. 414. — *Cassis Gra-teloupi*, Deshayes.





Fig. 425. — Animal of *Cypraea tigris*, Linné (Quoy et Gaimard).



## 1986 CALENDAR

Colorful treasures plucked from the sand and sea adorn each page of this charming calendar. Accompanying each photograph taken by Pete Carmichael is a legend of the shell: its name, description, and where it can be found. A unique collection for armchair beachcombers!

**Product #14620**  
ISBN 0-89505-312-8  
12" x 10"  
\$6.95



February 1986

August	September	October	November	December	January
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31

Shells and Sea Life Publications  
1701 Hyland, Bayside CA 95524  
Sally Bennett and Steven J. Long  
(707) 822-1024

## ORDER FORM

NAME \_\_\_\_\_

STREET \_\_\_\_\_

CITY/STATE \_\_\_\_\_ ZIP \_\_\_\_\_

## NOTES

Please list the author and title for each publication you want along with the order number. We normally stock quantities of all trade book titles (numbers start with a "0") and also offer special club and dealer discounts for these titles only. Send for terms on business or club letterhead. California sales tax will be charged on all California dealer orders unless we have a completed and signed exemption card on file.

All items with a number starting with "0" will normally be in stock and available for shipment quickly. We hold as many copies as we can of these trade books. All other numbers may be one-of-a-kind or low quantity stocking items. Please allow 6 to 8 weeks for delivery on these items.

All journals and serial publications are "as issued" unless otherwise noted. Many individual issues are not listed here. Please send specific interests if you are looking for complete sets or parts of serial publications. We will notify you of their availability. Subscriptions are available to many of these journals and serials. Please allow a minimum of 60 days for subscriptions to arrive. We can trim or bind books and papers for you. Please specify what you would like. Prices vary but are reasonable — estimates on request. We also maintain open orders for specific serials, books & author papers (at a 10% discount) and will ship automatically as they arrive.

Abbreviations used: PHO-Photocopy; SWS-Severe waterstaining; AV-average condition; FA-fair condition; WS-Waterstained; SB-Softbound; HB-Hardbound; MF-Microfiche (24x, 105mm); POS-Positive appearing film; NEG-Negative appearing film; RL-Roll microfilm (16mm, 24x); RPT-Reprint edition.

We make every effort to prevent damage to books with careful packaging. Books do not always reach us in "perfect" condition but we put "damaged" books in our discount pile. Space prevents listing many smaller papers, books and individual serial parts here. Please send your want lists for specific books (and subject areas) to us. We can often provide photocopies or individual articles. Used or slightly damaged copies of books may be discounted 10% or more from the regular price and will be substituted as available if you mark "Used or damaged OK" on your order form.

[illegible]

Please Print Clearly

☐ Total Payment Enclosed

Card #

Exp. Date \_\_\_\_\_ Signature \_\_\_\_\_  
(Required for Charge Orders Only)



## Vernacular Names of Freshwater Bivalves.

I take this opportunity to address some of the remarks R. Tucker Abbott (1985) made regarding the AMU list of scientific and vernacular names of North American mollusks, specifically those concerning the freshwater bivalves. I have three points to make.

First of all, I apologize to all of the freshwater clam fishermen of North America for Abbott's unfortunate and rude remarks. Abbott's comments on the "common name" list appear to be based on a misunderstanding of the difference between vernacular and common names. In this instance, names applied by clam fishermen are vernacular names and only when these names are widely and commonly used to they become "common names." The list of scientific and vernacular names as it stands is a list of vernacular names.

Second, patronyms and capitalization were discussed by the Vernacular Names Committee which recommended that the mollusk list follow the format and conventions of the list of fishes published by the American Fisheries Society. The committee's recommendations were approved by the Council of Systematic Malacologists and the AMU. Patronyms used as vernacular names are really misnomers because the named person is not the owner of the species, but merely the person for whom the species was named.

Third, the list of unionid names, both scientific and vernacular, are the result of the combined efforts, and agreement by approximately 40 people, not a fiat by a single individual. More than 25 papers on unionids were searched to determine which vernacular names had been used historically and names for 175 taxa were found, most of which have been in use for at least 70 years. The oldest freshwater bivalve vernacular name so far documented was noted by Rafinesque (1819) for the snuffbox, *Epio- blasma triquetra* (Rafinesque). Abbott (1985:93) remarked "There are much better common names possible for freshwater mussels — ones that can be recognized as common names, are easily remembered and are associated with the scientific name." Although objectionable to Abbott, people throughout the Interior Basin seem to have no problem using such names as washboard, pocketbook, and butterfly (which is not in the genus *Elliptio*, contrary to Abbott's assertion). Other names such as the bloofer, catpaw, or forkshell are only locally used due to the restricted distribution of the species. However, most of the vernacular names included in the list are truly common names, since they are in general use. The majority of the published names are for either species frequently encountered or of commercial importance. These vernacular names are a part of North American folk taxonomy and local history. I feel it would be a disservice to the objectives of the list of vernacular names to throw out well-established and "common" names because they do not fit a preconceived notion of a "good" common name.

## Literature Cited

Abbott, R. Tucker. 1985. Crazy popular names by scientists. *Shells and Sea Life* 17(3):92-93.

Rafinesque, Samuel C. 1819. *Conchology*. p. 65-66. In: *Sketches of Louisville and its environs; including, among a great variety of miscellaneous matter, a Flora Louisvilleensis*; etc. by H. M'Mutrie, first edition, S. Penn, jun, Louisville.

Dr Arthur E. Bogan, Department of Malacology, Academy of Natural Sciences, 19th and the Parkway, Philadelphia, PA 19103.

\* \* \* \* \*

**Exploring a dealer's inner stock** I hate to be the bearer of bad news, but if you hope to specialize in a particular family of mollusks, the passive approach of simply mailing in your order and waiting for the shells to arrive won't yield the best specimens. It's sad but true that the really outstanding one-of-a-kind items never even make the dealer's list, and the few that do are snatched up by the first couple of phone orders. Fortunately, there are ways of "beating the system", four of which are outlined here.

One way to see a dealer's "inner stock" is to send in a want list with the instruction to mail your desired items right off as they come in. However, there are some problems with this method. Not all dealers are equally attentive to want lists. Some merely file them away, out of sight and out of mind. The other, more subtle side effect of sending want lists to several dealers at the same time is that you may suddenly get deluged with 20 "clones" of 2 or 3 species. This is because one supplier may handle many dealers with regard to particular shells. If you don't mind sending back the "extras", there is nothing wrong with this approach, but considering today's postal rates, it's probably best to find one or two dealers who will consistently honor your want lists and stick with them.

As mentioned earlier, people who phone a dealer right away usually get most of the material they want. Surprisingly, the best time to call is before a list comes out, not when you receive it. All it takes is one previous call for you to miss out on an exciting shell, so opt for a preview of coming attractions rather than walking in late for the movie!

If you have neither the time or the money to be consistently making long distance calls, and lack the powers of E.S.P. to know when a list is imminent, one method of getting exceptional material is to ask the dealer to mail you unidentified specimens of the groups you're most interested in. Most parties are very cooperative in this regard, and will either give you a discount or free shells for your trouble. Through the diligent application of this technique, many specimens that would not otherwise be listed can become part of your collection.

Finally, if you are lucky enough to live near a particular dealer, by all means try to arrange a trip to his home or shop. Many shells are never listed because they are in small quantities or belong to remote families -- you'll be surprised what you'll find during even a casual visit! If the dealer doesn't have a personal collection, so much the better. It's reassuring to know that every super fabulous beauty will be put in stock, not tucked away in a private collection.

Getting a comprehensive selection of such elusive families as *Latiaxis*, *Epitoniums* and *Tellins* is never easy. The best specimens will always go quickly, rendering the ordinary method of mailing in an order ineffective. By trying the techniques above, you will get to know the dealer on a one-to-one level, and will be able to give him a more accurate idea of your individual collecting needs. A unlisted shell, unlike an unlisted phone number, is never frustrating and can add immensely to the beauty and value of your collection!

David DeLucia, 7 Sunset Hill Drive, Branford, CT 06405

## PERSONAL NOTES

*Aspella vokesiana* Houart, 1983. This is the photo to replace the one lost by the printer (S&SL 17(5): 159. Our apologies again to Dr. Vokes and to our readers. We will be happy to print a larger photo if someone can provide a good black and white print.

**Dr. Thomas V. Borokowski** I will appreciate if you, or any of the readers of *Shells and Sea Life* can give me any information on where I can contact Dr. Borokowski who has done a great deal of research on the molluscs of rocky intertidal shores, especially on the periwinkles (genus *Littorina*). — Luis D. Beltran, Ernesto Cadiz St. #26, Juncos, PR 00666

**Nudibranchs of Southern Africa** If anyone has paid for this book and not yet received a refund, please write to Gordon Verhoef, P.O. Box 892, Cape Town 8000, South Africa or contact Terry Gosliner at the California Academy of Sciences (Golden Gate Park, San Francisco, CA 94118). The book will hopefully be published soon in California.

**Erratum** In Richard Goldberg's article (S&SL 17(1):30) *Labyrinthus* lost a "y" in the last line. Sorry about my poor typing. — Editor

**Dr. George L. Kennedy**, a Geologist with the U.S. Geological Survey in Menlo Park for seven years, joined the staff of the Los Angeles County Museum of Natural History in April. Dr. Kennedy will serve as Assistant Curator of Invertebrate Paleontology and continue his studies of Pleistocene marine terrace faunas of the eastern Pacific. Also, in preparation of a revision of the Recent *Pholadidae* (piddocks) of Japan, he would greatly appreciate the opportunity to examine any specimens of *Penitella* that readers may have from Alaska, eastern USSR, and (or) Japan. — Dr. George L. Kennedy, Los Angeles County Museum of Natural History, 900 Exposition Blvd., Los Angeles, CA 90007





[Editor — This list was compiled before the release of Burgess's "Cowries of the World." We felt it would be a valuable companion to that book.]

## Phil Clover's *Cypraea* check list

Phillip W. Clover  
P.O. Box 339  
Glen Ellen, CA 95442

This list will be different than most in that it is a check list of all valid species of *Cypraea*, plus most of the currently known subspecies. With my 25 years experience in collecting, naming and selling cowries, this list is my opinion now and may vary from other authors such as Burgess and Walls. In Schilders first work published in 1938, he listed 165 species and 186 subspecies based on geographical separation and the last complete checklist I know of, Cernohorsky in 1963, listed 186 species and 197 subspecies. Since the most authors deal with about 200 valid species and every two or three years Donohue publishes, in The Veliger, which author considers what species as valid. In the Schilder's last work "A Catalog of Living and Fossil Cowries" (1971) they dealt with nearly 4,000 names. In the following list the most distinct subspecies will be underlined; sizes are listed in millimeter (mm) and are the maximum — minimum range known for each species.

*achatiidea* Sowerby, 1837. Mediterranean Sea. 22-44 mm  
*inopinata* Schilder, 1930. Senegal.  
*oranica* Crosse, 1896. Algeria.  
*longinqua* Schilder, 1938. Angola.  
*albuginea* Gray, 1825. West Mexico. 12-33 mm  
*nariaeformis* Schilder, 1930. Galapagos Island  
*algaensis* Gray, 1825. South Africa. 16-32 mm  
*allsonae* Burgess, 1963. another *teres* form  
*amphithales* Melville, 1888. South Africa. 25-33 mm  
*angelicae* Clover, 1974. West Africa. 19-30 mm  
*angloyorum* Biraghi, 1978. South India. 28-32 mm  
*angustata* Gmelin, 1791. South Australia. 18-36 mm  
*albata* Beddome, 1898. South Australia  
*molleri* Iredale, 1931  
*subcarnea* Beddome, 1896  
*verconis* Cotton and Godfrey, 1932  
*annettae* Dall, 1909. West Mexico. 22-52 mm  
*aequinoctialis* Schilder, 1933  
*annulus* Linne, 1758. Philippines. 10-34 mm  
*camelorum* Rochebrune, 1884. Zanzibar  
*naumeensis* Marie, 1869. Eastern Polynesia  
*pura* Vayssiere, 1923. South Africa  
*scutellum* Schilder & Schilder. Indian Ocean  
*arabica* Linne, 1758. Philippines. 25-105 mm  
*asiatica* Schilder, 1938. Japan.  
*brunnescens* Cate, 1964. West Australia  
*dilacerata* Schilder, 1938. Ceylon  
*gibba* Coen, 1949. Thailand  
*immanis* Schilder, 1938. East Africa  
*niger* Roberts, 1885. New Caledonia  
*westralis* Iredale, 1935. Northwest Australia  
*arabulica* Lamarck, 1810. West Mexico. 16-35 mm  
*argus* Linne, 1758. Philippines. 42-107 mm  
*contrastrata* Perry, 1811. East Africa  
*ventricosa* Gray, 1824. Marshall Islands  
*armeniaca* Verco, 1912. South Australia. 75-104 mm  
*artuffeli* Jousseau, 1876. Japan. 11-23 mm  
*asellus* Linne, 1758. East Africa. 10-31 mm  
*bitaeniata* Geret, 1903. Solomon Islands  
*latefasciata* Schilder, 1930. Australia  
*rostrata* Raybaudi, 1979. New Caledonia  
*vespaca* Melville, 1888. Philippines  
*astarii* Schilder & Schilder, 1971. Marquesas Is. 17-23 mm  
*aurantium* Gmelin, 1791. Fiji, Philippines. 58-117 mm  
*barclayi* Reeve, 1857. South Africa. 20-26 mm  
*beckii* Gaskoin, 1836. Philippines. 7-16 mm  
*beieri* Wallis, 1980 = dwarf *lamarckii*  
*bernardi* G. Richard, 1974. French Polynesia. 11-19 mm  
*bistrinotata* Schilder & Schilder, 1937. Indian Ocean. 10-23 mm  
*keelingensis* Schilder & Schilder, 1940. Cocos - Keeling  
*mediocris* Schilder, 1938. Philippines  
*sublaevis* Schilder & Schilder, 1938. Marshall Islands  
*boivini* Kiener, 1843. Philippines. 14-36 mm  
*amoena* Schilder, 1927. Japan  
*cuatoni* Kosuge, 1983. Philippines  
*bregieriana* Crosse, 1868. New Caledonia. 16-33 mm  
*broderipii* Sowerby, 1832. Indian Ocean. 59-105 mm  
*somalica* Raybaudi, 1981. Somalia  
*burgessii* Kay, 1981. Hawaii. 22-39 mm, like *latior*  
*camelopardalis* Perry, 1811. Red Sea. 31-81 mm  
*mariae* Schilder, 1924. Aden  
*capensis* Gray, 1824. South Africa. 24-38 mm  
*caputdraconis* Melville, 1888. Easter Island. 17-45 mm  
*caputserpentinis* Linne, 1758. Indian Ocean. 15-43 mm  
*argentina* Dautzenberg, 1933. French Polynesia  
*caputaquais* Philippi, 1849. Eastern Australia

*caputophidi* Schilder, 1927. Hawaii  
*mikado* Schilder & Schilder, 1938. Japan  
*reticulum* Gmelin, 1791. Philippines  
*carneola* Linne, 1758. Philippines. 17-94 mm  
*bouteti* Burgess & Arnette, 1981. French Polynesia  
*crassa* Gmelin, 1791. Red Sea  
*propinqua* Garrett, 1879. Polynesia  
*sowerbyi* Anton, 1839. Indian Ocean  
*cassiaui* Burgess, 1965. French Polynesia. 19-25 mm  
*catholiconum* Schilder & Schilder, 1938. Solomons. 10-21 mm  
*caurica* Linne, 1758. Philippines. 19-69 mm  
*atrata* Sullioti, 1924. New Caledonia  
*blaesae* Iredale, 1939. West Australia  
*derosa* Gmelin, 1791. India  
*dracaena* Born, 1778. East Africa  
*elongata* Perry, 1811. Kenya  
*longior* Iredale, 1935. Eastern Australia  
*quinaefasciata* Roding, 1798. Persian Gulf  
*thema* Iredale, 1939. Solomon Islands  
*cernica* Sowerby, 1870. Indian Ocean. 10-37 mm  
*kermadecensis* Powell, 1958. New Zealand  
*mariae* C. Cate, 1960. Hawaii  
*ogawarensis* Schilder, 1944. Japan  
*pradiga* Iredale, 1939. Eastern Australia  
*tomlini* Schilder, 1930. New Caledonia  
*viridicolor* Cate, 1962. West Australia  
*cervineta* Kiener, 1843. West Mexico. 32-113 mm  
*cervus* Linne, 1771. Florida. 48-190 mm  
*peliei* Schilder, 1932. Southern Caribbean  
*childerii* Gray, 1825. Polynesia. 12-34 mm  
*lemurica* Schilder & Schilder, 1938. Indian Ocean  
*novaecaledoniae* Schilder & Schilder, 1952. New Caledonia  
*sumatral* Schilder, 1940. Japan  
*chinensis* Gmelin, 1791. Philippines. 17-56 mm  
*amiges* Melville & Standen, 1915. Hawaii  
*sydneyensis* Schilder, 1938. Eastern Australia  
*tortirostris* Sowerby, 1906. South Africa  
*variolaria* Lamarck, 1810. Mauritius  
*violacea* Rous, 1905. Zanzibar  
*whitworthi* Cate, 1964. West Australia  
*cicercula* Linne, 1758. Philippines. 8-23 mm  
*lienardi* Jousseau, 1874. East Africa  
*cinerea* Gmelin, 1791. Caribbean. 15-42 mm  
*citrina* Gray, 1825. South Africa. 16-30 mm  
*clandestina* Linne, 1767. Indian Ocean. 8-25 mm  
*candida* Pease, 1865. West Australia  
*monillaris* Lamarck, 1810. Philippines  
*passerina* Melville, 1888. East Africa  
*cohenae* Burgess, 1965. South Africa. 30 mm  
*coloba* Melville, 1888. Gulf of Aden. 20-40 mm  
*gregori* Ford, 1893. South India  
*comptoni* Gray, 1847. South Australia. 17-32 mm  
*casto* Schuler & Summers, 1963. South Australia  
*mayi* Beddome, 1898. South Australia  
*trenberthae* Trenberth, 1961. South Australia  
*wilkinsi* Griffiths, 1959. South Australia  
*contaminata* Sowerby, 1832. Philippines. 8-16 mm  
*distans* Schilder & Schilder, 1938. Indian Ocean  
*malaysiae* Schilder & Schilder, 1940. Solomon Islands  
*stahleri* Cate & Schilder, 1968. Philippines  
*coronata* Schilder, 1930. South Africa. 28-33 mm  
*coxeni* Cox, 1873. Solomon Islands. 14-30 mm  
*hesperina* Schilder & Summers, 1963. New Britain  
*steineri* C. Cate, 1969. Guadalcanal  
*cribellum* Gaskoin, 1849. Indian Ocean. 12-19 mm  
*cribraria* Linne, 1758. Malaysia. 10-40 mm  
*commia* Perry, 1811. East Africa  
*exmouthensis* Melville, 1884. New Caledonia  
*fallax* Smith, 1881. West Australia  
*melwardii* Iredale, 1930. Queensland, Australia  
*northi* Steadman & Cotton, 1943. Fiji  
*orientalis* Schilder & Schilder, 1940. Japan  
*cruickshanki* Kilburn, 1972. South Africa. 20-35 mm  
*jukui* Shikama, 1974. South Africa  
*cuatoni* Kosuge, 1983. Philippines. 25-27 mm. form of *boivini*  
*cumingii* Sowerby, 1832. Polynesia. 9-30 mm  
*cleopatra* Schilder, 1938. Marquesas Islands  
*cylindrica* Born, 1778. Philippines. 18-52 mm  
*sista* Iredale, 1939. Northern Territories, Australia  
*sowerbyana* Schilder, 1932. West Australia  
*dayritiana* Cate, 1963. Philippines. 15-22 mm  
*decipiens* Smith, 1880. West Australia. 42-70 mm  
*albina* Raybaudi, 1977. NW Australia (= *mariae* ?)  
*declivis* Sowerby, 1870. South Australia. 15-32 mm  
*globosa* Raybaudi, 1977. South Australia  
*occidentalis* Iredale, 1935. Southwest Australia  
*depressa* Gray, 1824. South Pacific. 23-55 mm  
*dispersa* Schilder, 1939. Indian Ocean  
*dillwyni* Schilder, 1922. Society Islands. 10-16 mm  
*diluculum* Reeve, 1845. East Africa. 11-36 mm  
*virginalis* Schilder, 1938. Seychelles  
*donmorei* Petuch, 1979 = *mus* Linne  
*eburnea* Barnes, 1824. Fiji. 23-56 mm  
*mara* Iredale, 1939. New Caledonia  
*edentula* Gray, 1825. South Africa. 17-34 mm  
*alfredensis* Schilder & Schilder, 1929. South Africa  
*eglantina* Duclos, 1833. South Pacific. 35-82 mm  
*coururier* Vay, 1905. Japan  
*niger* form . New Caledonia  
*perconfusa* Iredale, 1935. West Australia  
*engleri* Summers & Burgess, 1965. Easter Island. 18-27 mm  
*erosa* Linne, 1758. East Africa. 16-71 mm  
*chlorizans* Melville, 1888. Malaysia  
*lactescens* Dautzenberg & Bouge, 1933. Polynesia  
*nigricans* Pallary, 1926. New Caledonia  
*phagedaina* Melville, 1888. Philippines  
*palchella* Coen, 1949. New South Wales, Australia  
*prasinina* Vredenberg, 1919. North Australia  
*sturmiae* Melville, 1888. Red Sea  
*errones* Linne, 1758. Philippines. 13-43 mm  
*azurea* Schilder, 1968. West Australia  
*bimaculata* Gray, 1824. South India  
*coeruleus* Schroter, 1804. Melanesia  
*coxi* Brazier, 1872. Eastern Australia  
*erythreensis* Sowerby, 1837. Red Sea. 15-29 mm  
*esontropia* Duclos, 1833. Mauritius. 12-36 mm

*exusta* Sowerby, 1822. Red Sea. 54-91 mm  
*obscura* Raybaudi, 1979. Red Sea

*felina* Gmelin, 1791. Eastern Africa. 10-27 mm  
*fabula* Kiener, 1843. Gulf of Oman  
*listeri* Gray, 1824. Maldiv Islands  
*melvilli* Hidalgo, 1906. Melanesia  
*pauciguttata* Schilder & Schilder, 1938. Philippines  
*vesalea* Iredale, 1939. Queensland  
*vatu* Steadman & Cotton, 1943. Fiji  
*fernandoi* C. Cate, 1969. Philippines. 20-30 mm  
*fimbriata* Gmelin, 1791. East Africa. 7-21 mm  
*durbanensis* Schilder & Schilder, 1939. South Africa  
*marmorata* Schroter, 1804. Philippines  
*unifasciata* Mighels, 1845. Hawaii  
*fischeri* Vayssiere, 1910. New Hebrides. 12-23 mm  
*friendii* Gray, 1831 Southwest Australia. 42-104 mm  
*albinea* Raybaudi, 1978. West Australia  
*melanica* Raybaudi, 1977. West Australia  
*vercoi* Schilder, 1930. Southwest Australia  
*fultoni* Sowerby, 1903. South Africa. 50-68 mm  
*fuscodentata* Gray, 1825. South Africa. 24-43 mm  
*coronata* Schilder, 1930. East Africa. (now considered a separate species)  
*gloriosa* Shikama, 1971. South Africa  
*fuscorubra* Shaw, 1909. South Africa. 24-45 mm  
*gondwanalandensis* Burgess, 1966. South Africa  
*iutsui* Shikama, 1974. South Africa  
*similis* Gray, 1831. South Africa  
*gangranosa* Dillwyn, 1817. Singapore. 9-27 mm  
*reentsii* Dunker, 1852. South India  
*gaskoini* Reeve, 1846. Hawaii. 11-27 mm  
*peasei* Sowerby, 1870. Oahu Island, Hawaii  
*globulus* Linne, 1758. Philippines. 10-24 mm  
*brevirostris* Schilder & Schilder, 1938. East Africa  
*sphaeridium* Schilder & Schilder, 1938 French Polynesia  
*gondwanalandensis* Burgess, 1966 = *fuscorubra* Shaw  
*goodallii* Sowerby, 1832. Polynesia. 8-20 mm  
*fuscomaculata* Pease, 1865. Samoa  
*gracilis* Gaskoin, 1848. Philippines. 9-28 mm  
*hilda* Iredale, 1939. West Australia  
*japonica* Schilder, 1931. Japan  
*macula* Angas, 1867. Queensland, Australia  
*notata* Gill, 1858. Red Sea  
*granulata* Pease, 1862. Hawaii. 15-43 mm  
*grayana* Schilder, 1930. Indian Ocean. 17-78 mm  
*aberrans* Raybaudi, 1979. Red Sea  
*guttata* Gmelin, 1791. New Guinea. 32-78 mm  
*australis* Raybaudi, 1979. Queensland, Australia  
*azumai* Schilder, 1960. Japan  
*bicallosa* Raybaudi, 1979. Philippines  
*surinensis* Raybaudi, 1978. Thailand  
*haddnighiae* Trenberth, 1973. Southwest Australia. 25-35 mm  
*hammondae* Iredale, 1939. Queensland, Australia. 10-18 mm  
*dampierensis* Schilder & Cernohorsky, 1965. NW Australia  
*raysummersi* Schilder, 1960. Philippines  
*helvola* Linne, 1758. Philippines. 8-36 mm  
*argella* Melville, 1888. East Africa  
*callista* Shaw, 1909. Marshall Islands  
*citricolor* Iredale, 1935. West Australia  
*hawaiensis* Melville, 1888. Hawaii  
*masoreana* Melville, 1888. South India  
*meridionalis* Schilder & Schilder, 1938. South Africa  
*hesitata* Iredale, 1916. New South Wales, Australia. 54-121 mm  
*albina* Raybaudi, 1977. Eastern Australia  
*beddomei* Schilder, 1930. New South Wales  
*howelli* Iredale, 1931. South Australia  
*nordica* Raybaudi, 1979. Queensland, Australia  
*hirasei* Roberts, 1913. Japan. 40-61 mm  
*dani* Raybaudi, 1978. Philippines  
*philippina* Raybaudi, 1981. Philippines  
*queenslandica* Schilder, 1966. Queensland, Australia  
*hirundo* Linne, 1758. Philippines. 8-24 mm  
*cameroni* Iredale, 1939. West Australia  
*francisca* Schilder & Schilder, 1938. East Africa  
*neglecta* Sowerby, 1837. Japan  
*peropima* Iredale, 1939. Eastern Australia  
*rouxi* Ancey, 1882. Samoa  
*histro* Gmelin, 1791. Indian Ocean. 23-79 mm  
*westralis* Iredale, 1935. Northwest Australia  
*humphreysii* Gray, 1825. New Caledonia. 10-26 mm  
*yaloka* Steadman & Cotton, 1943. Fiji  
*hungerfordi* Sowerby, 1888. Japan. 22-43 mm  
*callosa* Raybaudi, 1979. Taiwan  
*coucomi* Schilder, 1964. Queensland, Australia  
*incurvata* Wallis, 1980 = *lamarckii*  
*interrupta* Gray, 1824. South India. 14-28 mm  
*irrorata* Gray, 1828. Society Islands. 8-17 mm  
*isabella* Linne, 1758. East Africa. 11-54 mm  
*atriceps* Schilder & Schilder, 1938. Polynesia  
*controversa* Gray, 1824. Hawaii  
*lekalekana* Ladd, 1934. Queensland, Australia  
*mexicana* Stearns, 1893. Clipperton Island  
*rumphii* Schilder, 1938. Philippines  
*isabellamexicana* Shasky, 1961. Panama. 28-45 mm  
*jeaniana* Cate, 1968. West Australia. 35-102 mm  
*aurata* Raybaudi, 1979. West Australia  
*melanica* Raybaudi, 1978. West Australia  
*joyceae* Clover, 1970. Taiwan. 50-60 mm  
*kotsue* Kuroda, 1960. Japan. 18-23 mm  
*kieneri* Hidalgo, 1906. East Africa. 8-24 mm  
*depriesteri* Schilder, 1933. Philippines  
*landeri* Schilder & Griffiths, 1962. Polynesia  
*marcia* Iredale, 1938. New South Wales, Australia  
*reductesignata* Schilder, 1924. Indian Ocean  
*schneideri* Schilder & Schilder, 1938. Solomon Islands  
*kingae* Rehder & Wilson, 1975. Pitcairn Island. 14-19 mm  
*kuroharai* Kuroda & Habe, 1961. Taiwan. 37-53 mm  
*labrolineata* Gaskoin, 1849. Philippines. 8-31 mm  
*helenae* Roberts, 1869. Solomon Islands  
*nashi* Iredale, 1931. Queensland, Australia  
*lamarckii* Gray, 1825. East Africa. 18-54 mm  
*redimita* Melville, 1888. Thailand  
*langfordi* Kuroda, 1938. Japan. 41-68 mm



*moretonensis* Schilder, 1965. Queensland, Australia  
*lentiginosa* Gray, 1825. Pakistan. 19-38 mm  
*buharensis* Jonklaas & Nicolay, 1977. South India  
*donacalis* Jonklaas & Nicolay, 1977. Red Sea  
*leucodon* Broderip, 1828. South Africa. 72-98 mm  
*angioyna* Raybaudi, 1979. Philippines  
*leviathan* Schilder & Schilder, 1937. Hawaii. 53-130 mm  
*geddlingae* Cate, 1968. West Australia  
*titan* Schilder, 1963. East Africa  
*limacina* Lamarck, 1810. Philippines. 12-37 mm  
*facifer* Iredale, 1935. Queensland, Australia  
*interincta* Wood, 1828. East Africa  
*ravaya* Steadman & Cotton, 1943. Fiji  
*lisetae* Kilburn, 1975. Mozambique. 12-13 mm  
*luchuana* Kuroda, 1960. Okinawa. 15-23 mm  
*lurida* Linne, 1758. Italy. 14-66 mm  
*minima* Dunker, 1853. West Africa  
*maxima* Monterosato, 1897. Mediterranean Sea  
*oceanica* Schilder, 1930. Ascension Island

*lutea* Gronow, 1781. Philippines. 9-25 mm  
*bizonata* Iredale, 1935. West Australia  
*profunda* Raybaudi, 1978. East Indies  
*lynx* Linne, 1758. East Africa. 18-85 mm  
*caledonica* Crosse, 1869. Polynesia  
*nigroguttata* Coen, 1949. New Caledonia  
*vanelli* Linne, 1758. Philippines  
*williamsi* Melvill, 1888. Red Sea

*macandrewi* Sowerby, 1870. Red Sea. 9-23 mm  
*eguttata* Raybaudi, 1978 (called *thomasi* in error)  
*maculifera* Schilder, 1932. Hawaii. 33-89 mm  
*montellum* Walls, 1980 (new name for *marloe* Schilder)  
*mappa* Linne, 1758. Philippines. 40-97  
*alga* Perry, 1811. East Africa  
*geographica* Schilder & Schilder, 1933  
*nigricans* Crosse, 1875. New Caledonia  
*panerythra* Melvill, 1888. Philippines (pink base)  
*profunda* Raybaudi, 1978. West Australia  
*rewa* Steadman & Cotton, 1943. French Polynesia  
*subsignata* Melvill, 1888. New Caledonia  
*viridis* Kenyon, 1902. Micronesia  
*margarita* Dillwyn, 1817. Philippines. 10-20 mm  
*tetsuakii* Kira, 1959. Japan  
*marginalis* Dillwyn, 1827. South Africa. 19-34 mm  
*pseudocellata* Schilder & Schilder, 1938. Somalia  
*marginata* Gaskoin, 1849. West Australia. 40-70 mm  
*meridionalis* Raybaudi, 1979. South Australia  
*ketyana* Raybaudi, 1978. Northwest Australia  
*marloe* Schilder, 1927. South Pacific. 9-20 mm  
*maricola* Cate, 1976. Philippines. 13-14 mm  
*marileae* Raybaudi, 1983. Northwest Australia. 56-62 mm  
*mortini* Schepman, 1907. Philippines. 13-22 mm  
*superstes* Schilder, 1930. New Caledonia  
*mauiensis* Burgess, 1967. Hawaii  
*mauritanica* Linne, 1758. East Africa. 43-130 mm  
*caltequina* Melvill & Standen, 1899. Hawaii  
*regina* Gmelin, 1791. India  
*microdon* Gray, 1828. Philippines. 6-15 mm  
*chrysalis* Kiener, 1843. East Africa  
*granum* Schilder & Schilder, 1938. Solomon Islands  
*midwayensis* Azuma & Kurohara, 1967. Taiwan. 15-22 mm  
*miliaris* Gmelin, 1791. Japan. 18-56 mm  
*differens* Schilder, 1927. Philippines  
*diversa* Kenyon, 1902. West Australia  
*inocellata* Gray, 1825. Taiwan  
*minoridens* Melvill, 1901. Queensland, Australia. 6-12 mm  
*orientalis* Raybaudi, 1979. South Pacific  
*suvaensis* Steadman & Cotton, 1943. Fiji  
*miyokoe* Habe & Kosuge = *lamarcki*  
*moneta* Linne, 1758. East Africa. 10-40 mm  
*barthelemyi* Bernardi, 1861. Society Islands  
*harrisii* Iredale, 1939. Samoa  
*icterina* Lamarck, 1810. Mozambique  
*maxima* Dautzenberg, 1903. Zanzibar  
*truncatoides* Schilder, 1933. Philippines

*mus* Linne, 1758. Venezuela. 30-95 mm  
*bicornis* Sowerby, 1870. Venezuela  
*donmoorei* Petuch, 1979. Venezuela  
*tricornis* Jousseume, 1874. Venezuela  
*musumae* Kuroda & Habe, 1961. Taiwan. 17-23 mm

*nebrites* Melvill, 1888. Red Sea. 15-41 mm  
*ceylonensis* Schilder & Schilder, 1938. Ceylon  
*mozambicana* Schilder & Schilder, 1938. Southeast Africa  
*nigropunctata* Gray, 1828. Galapagos Islands. 17-41 mm  
*nivosa* Broderip, 1827. Thailand. 37-75 mm  
*nucleus* Linne, 1758. Philippines. 11-31 mm  
*gemmosa* Perry, 1811. Polynesia  
*granulosa* Sowerby, 1870. Fiji  
*madagascarensis* Gmelin, 1791. East Africa  
*sturanii* Schilder & Schilder, 1933. Red Sea

*obvelata* Lamarck, 1810. Society Islands. 10-30 mm  
*perrieri* Rochebrune, 1884. Tuamotu Islands  
*ocellata* Linne, 1758. India. 14-56 mm  
*okutanii* Wallis, 1980 = *lamarcki* or *caurica*  
*onyx* Linne, 1758. Philippines. 24-57 mm  
*adusta* Lamarck, 1810. East Africa  
*melanesiae* Schilder & Schilder, 1937. Solomon Islands  
*melanica* Raybaudi, 1978. Thailand  
*nymphae* Jay, 1850. Diego Garcia  
*persica* Schilder, 1938. Pakistan  
*succincta* Linne, 1758. South India  
*ostergaardi* Dall = *thomasi* Crosse  
*ovum* Gmelin, 1791. Philippines. 16-41 mm  
*chrysostoma* Schilder, 1927. New Guinea  
*hipercallasa* Raybaudi, 1979. South Pacific  
*obscura* Raybaudi, 1977. Solomon Islands  
*palauensis* Schilder & Schilder, 1938. Micronesia  
*owenii* Sowerby, 1837. Mauritius. 8-27 mm  
*menkeana* Deshayes, 1863. Mauritius  
*vasta* Schilder & Schilder, 1938. South Africa

*pallida* Gray, 1824. India. 17-32 mm  
*insulicola* Schilder, 1938. Singapore  
*pallidula* Gaskoin, 1849. Philippines. 11-29 mm

*rhinoceros* Souverbie, 1865. New Caledonia  
*simulans* Schilder & Schilder, 1940. West Australia  
*pantherina* Lightfoot, 1786. Red Sea. 37-118 mm  
*vinosa* Gmelin, 1791. Red Sea  
*perlae* Lopez & Chiang, 1975. Northwest Australia. 38-55 mm  
*petitiana* Crosse, 1872. Senegal. 17-40 mm  
*albinea* Raybaudi, 1979. West Africa  
*picta* Gray, 1824. Cape Verde Islands. 19-38 mm  
*piperita* Gray, 1825. New South Wales, Australia. 16-31 mm  
*bicolor* Gaskoin, 1849. South Australia  
*dissecta* Iredale, 1931. New South Wales  
*emblemata* Iredale, 1931. South Australia

*poraria* Linne, 1758. Indian Ocean. 10-28 mm  
*aberrans* Raybaudi, 1979. New Caledonia  
*scarabaeus* Bory, 1827. Philippines  
*wilhelmina* Kenyon, 1897. West Australia  
*porteri* Cate, 1966. Philippines. 45-55 mm  
*pulchella* Swainson, 1823. Taiwan/ 23-48 mm  
*novaebritanniae* Schilder & Schilder, 1939. New Britain  
*pericalles* Melvill & Standen, 1904. Gulf of Oman  
*vayssierei* Schilder & Schilder, 1937. Ethiopia  
*pulchra* Gray, 1824. Oman. 21-76 mm  
*pulicaria* Reeve, 1846. Southwest Australia. 13-25 mm  
*eucila* Steadman & Cotton, 1946. West Australia  
*punctata* Linne, 1771. East Africa. 7-22 mm  
*atomaria* Gmelin, 1791. Philippines  
*decolorata* Gray, 1824. Indo-Pacific  
*iredalei* Schilder & Schilder, 1938. Queensland, Australia  
*trizonata* Sowerby, 1870. French Polynesia  
*pyriformis* Gray, 1824. Philippines. 17-34 mm  
*kaiseri* Kenyon, 1897. West Australia  
*smithi* Sowerby, 1881. North Australia  
*pyrum* Gmelin, 1791. Mediterranean Sea. 22-52 mm  
*angolensis* Odhner, 1923. Angola  
*insularum* Schilder, 1928. Northwest Africa  
*maculosa* Gmelin, 1791. Spain  
*senegalensis* Schilder, 1928. Senegal

*quadrincolata* Gray, 1824. Philippines. 14-32 mm  
*garretti* Schilder & Schilder, 1938. Samoa  
*thielei* Schilder & Schilder, 1938. Queensland, Australia

*rabaulensis* Schilder, 1964. Melanesia. 16-30 mm  
*rashleighana* Melvill, 1888. New Caledonia. 11-45 mm  
*eunota* Taylor, 1916. Hawaii  
*reevei* Sowerby, 1832. Southwest Australia. 26-45 mm  
*globosa* Raybaudi, 1978. West Australia  
*robertsi* Hidalgo, 1906. Panama. 13-32 mm  
*rosselli* Cotton, 1948. West Australia. 47-64 mm  
*albosignata* Raybaudi, 1979. West Australia

*sakuraii* Habe, 1970. Taiwan. 40-60 mm  
*sanguinolenta* Gmelin, 1791. Senegal. 15-28 mm  
*saulae* Gaskoin, 1843. Singapore. 14-32 mm  
*crakei* Cate, 1968. Northwest Australia  
*immaculata* Raybaudi, 1978. Indo-Pacific  
*jensostergaardi* Ingram, 1939. Caroline Islands  
*manilensis* Raybaudi, 1978. Luzon, Philippines  
*nugata* Iredale, 1935. Northern Queensland, Australia  
*peleidi* Raybaudi, 1978. Maldives Islands  
*profunda* Raybaudi, 1978. Northwest Australia  
*slatensis* Cate, 1960. Sulu Sea, Philippines  
*visayanensis* Raybaudi, 1978. Cebu, Philippines  
*schilderorum* Iredale, 1939. Polynesia. 21-43 mm

*scurra* Gmelin, 1791. East Africa. 23-57 mm  
*amarata* Morch, 1852. Indonesia  
*indica* Gmelin, 1791. Philippines  
*nigella* Sullioti, 1924. New Caledonia  
*retifera* Menke, 1829. Hawaii  
*vono* Steadman & Cotton, 1943. Polynesia  
*semipilota* Mighels, 1845. Hawaii. 7-28 mm  
*anna* Roberts, 1869. Oahu, Hawaii  
*polita* Roberts, 1868. Hawaii

*serrulifera* Schilder & Schilder, 1938. Polynesia. 6-13 mm  
*sharoni* Wallis, 1980 = *lamarcki*  
*spadicea* Swainson, 1823. California. 30-81 mm  
*albinistic* form, Mexico

*spurca* Linne, 1758. Mediterranean Sea. 12-39 mm  
*ocularis* Gmelin, 1791. Florida  
*atlantica* Monterosato, 1897. Canary Islands  
*inaequipartita* Monterosato, 1897. Red Sea  
*sanctaeheleenae* Schilder, 1930. Ascension Island  
*verdensium* Melvill, 1888. West Africa  
*staphylea* Linne, 1758. Philippines. 7-28 mm  
*consobrina* Garrett, 1879. Tuamotu Islands  
*descripta* Iredale, 1935. North Queensland, Australia  
*laevigata* Dautzenberg, 1932. East Africa  
*nukukau* Steadman & Cotton, 1943. Fiji  
*stercoraria* Linne, 1758. Senegal. 26-97 mm  
*conspurcata* Gmelin, 1791. West Africa  
*nigrescens* Sullioti, 1924. West Africa  
*rattus* Lamarck, 1810. Angola  
*stolidus* Linne, 1758. Philippines. 15-46 mm  
*brevidentata* Sowerby, 1870. Queensland, Australia  
*crossei* Marie, 1869. Solomon Islands  
*dampieria* Raybaudi, 1979. Northwest Australia  
*diagues* Melvill, 1888. East Africa  
*fluctuans* Iredale, 1935. North Australia  
*kwajaleinensis* Senders, 1933. Kwajalein Atoll  
*rufodentata* Biraghi, 1976. Maldives Islands  
*thakau* Steadman & Cotton, 1943. Fiji  
*subteres* Weinkauff, 1881. Tuamotu Islands. 14-32 mm  
*subviridis* Reeve, 1835. East Australia. 18-44 mm  
*anceyi* Vay, 1905. New Caledonia  
*dorsalis* Schilder & Schilder, 1938. Northwest Australia  
*vaticina* Iredale, 1931. South Australia  
*sulcidentata* Gray, 1824. Hawaii. 20-77 mm  
*summersi* Schilder, 1958. Fiji. 12-21 mm  
*surinamensis* Perry, 1811. Brazil. 20-48 mm  
*bicallosa* Gray, 1831. Florida

*talpa* Linne, 1758. Philippines. 22-104 mm  
*imperialis* Schilder & Schilder, 1938. East Africa  
*lemurica* Raybaudi, 1979. Seychelles  
*saturata* Dautzenberg, 1903. Marshalls. Hawaii. Panama  
*teramachii* Kuroda, 1938. Japan. 57-78 mm

*teres* Gmelin, 1791. Indian Ocean. 14-48 mm  
*alveolus* Tapperone, 1882. East Africa  
*burgessi* Kay, 1981. Hawaiian Islands (same as *latior*)  
*dampieria* Raybaudi, 1979. West Australia  
*latior* Melvill, 1888. Hawaiian Islands. Panama

*walkeri* Sowerby, 1832. Taiwan. 15-37 mm  
*continens* Iredale, 1935. East Australia  
*profunda* Raybaudi, 1978. West Australia  
*surabajensis* Schilder, 1937. Philippines  
*weaveri* Wallis, 1980 = *barclayi*


*xanthodon* Sowerby, 1832. North Queensland. 16-35 mm  
*eugenia* Cate, 1975. Southwest Australia  
*hartsmithi* Schilder, 1967. New South Wales, Australia

*zebra* Linne, 1758. Florida. 32-125 mm  
*dissimilis* Schilder, 1924. Brasil  
*ziczac* Linne, 1758. Philippines. 10-26 mm  
*misella* Perry, 1811. East Africa  
*signata* Iredale, 1939. New South Wales, Australia  
*undata* Lamarck, 1810. Maldives Islands  
*vittata* Deshayes, 1831. Melanesia  
*zonaria* Gmelin, 1791. West Africa. 15-43 mm  
*gambiensis* Shaw, 1909. Gambia

*pentella* Iredale, 1939. French Polynesia  
*pellucens* Melvill, 1888. Hawaii; Panama  
*subfasciata* Line, 1807. Queensland, Australia  
*tessellata* Swainson, 1822. Hawaii; Taiwan. 15-50 mm  
*testudinaria* Linne, 1758. Philippines. 74-140 mm  
*ingens* Schilder & Schilder, 1938. East Africa  
*testudinosa* Perry, 1811. Australia  
*teulerei* Cazenavette, 1846. Gulf of Oman. 34-70 mm  
*thersites* Gaskoin, 1849. South Australia. 45-98 mm  
*contraria* Iredale, 1935. Southwest Australia  
*melanica* Raybaudi, 1978. South Australia  
*thomasi* Crosse, 1865. Hawaii. 10-24 mm  
*tigris* Linne, 1758. Philippines. 42-153 mm  
*lynchichraa* Melvill, 1888. Polynesia  
*nigrescens* Gray, 1824. New Caledonia  
*pardalis* Shaw, 1852. Gulf of Akaba  
*schilderiana* Cate, 1961. Hawaii  
*turdus* Lamarck, 1810. Persian Gulf. 16-57 mm  
*foedata* Sullioti, 1924. Gulf of Oman  
*paracina* Dunker, 1852. Gulf of Aquaba  
*winkworthi* Schilder & Schilder, 1938. Gulf of Oman  
*zanibarica* Sullioti, 1911. Madagascar

*ursellus* Gmelin, 1791. Philippines. 6-19 mm  
*amoeba* Schilder & Schilder, 1938. Melanesia

*valentia* Perry, 1811. Philippines. 63-98 mm  
*flava* Raybaudi, 1979. New Guinea  
*ventriculus* Lamarck, 1810. Micronesia. 32-75 mm  
*venusta* Sowerby, 1846. West Australia. 45-86 mm  
*albinea* Raybaudi, 1978. West Australia  
*catei* Schilder, 1963. West Australia  
*dorota* Raybaudi, 1978. Southwest Australia  
*episema* Iredale, 1939. West Australia  
*melanica* Raybaudi, 1978. West Australia  
*rosea* Raybaudi, 1978. West Australia  
*roseopunctata* Melvill, 1888. South Australia  
*rossentensis* Schilder, 1963. Southwest Australia  
*verhoeffi* Burgess, 1982. South Africa. 24-40 mm  
 was called *gondwanalandensis* see *fusciorubra* Shaw  
*vitellus* Linne, 1758. Philippines. 20-100 mm  
*dama* Perry, 1811. East Africa  
*orcina* Iredale, 1931. Australia  
*polynesiae* Schilder & Schilder, 1938. Fiji  
*sarcodes* Melvill, 1888. Ceylon  
*vredenburgi* Schilder, 1927. Indonesia. 13-33 mm  
*vulgiavagus* Walls & Burgess, 1980 new name for *vredenburgi*



**Nature Illustration**  
 Biological and scientific drawing  
 maps, graphs

Chris Selin  
 P.O. Box 210106  
 Auke Bay, Alaska 99821  
 (907) 789-1375

#### WANTED TO BUY

**LIBRARIES** — Natural History and Fossils. Send list for quote. Seashell Treasures Books, 1701 Hyland, Bayside, CA 95524.

**THE VELIGER** — Individual volumes purchased — \$10.00 each in good condition. Individual numbers (issues) — \$2.00 each. Ship via book rate post to: Seashell Treasures Books, 1701 Hyland St., Bayside, CA 95524. Check issued upon receipt of material.











Please scan  
under barcode:

39088012949772